



DUE TO MARKET VOLATILITY,  
ADVERTISED PRICES ARE SUBJECT  
TO CHANGE WITHOUT NOTICE.



CREATE YOUR ACCOUNT AND

## ORDER TODAY

SHOP.BERGEYSTRUCK.COM  
**EASY. FAST. ACCURATE.**  
**ALWAYS OPEN**

#### RAKES

From heavy-duty, professional-grade rakes to dependable everyday options, these rakes deliver strength, comfort, and performance in every sweep. Whether you're clearing a backyard or tackling a big job site, you'll have the tools you need to make quick work of fall cleanup - season after season.

**RAZORBACK** **UnionTools** **TRUE TEMPER** **TRUE TEMPER**

|                             |                                |                                 |                                     |
|-----------------------------|--------------------------------|---------------------------------|-------------------------------------|
|                             |                                |                                 |                                     |
| <b>AME63141</b>             | <b>AME64309</b>                | <b>AME2604512</b>               | <b>AME2913912</b>                   |
| Razor-Back 15-Tine Bow Rake | Union Tools 24" Poly Leaf Rake | True Temper 22" Steel Leaf Rake | True Temper 30" Clog-Free Leaf Rake |
| <b>\$35.39<sub>ea</sub></b> | <b>\$8.89<sub>ea</sub></b>     | <b>\$21.99<sub>ea</sub></b>     | <b>\$22.89<sub>ea</sub></b>         |

#### LED LIGHTING

##### STOP / TURN / TAIL LIGHTS



- 4.41" diameter
- 1.75" deep
- Epoxy encapsulated to prevent damage from moisture & corrosion
- 24 diode pattern

|                  |       |                             |
|------------------|-------|-----------------------------|
| <b>TL 4050P</b>  | Red   | <b>\$15.39<sub>ea</sub></b> |
| <b>TL 4050A3</b> | Amber | <b>\$17.79<sub>ea</sub></b> |

FIND SIMILAR PRODUCT ON PAGES 8-9



- 6.5" W x 2.25" H x 1.75" D
- Epoxy encapsulated to prevent damage from moisture & corrosion
- 24 diode pattern

|                  |       |                             |
|------------------|-------|-----------------------------|
| <b>TL 6050P</b>  | Red   | <b>\$18.59<sub>ea</sub></b> |
| <b>TL 6050A3</b> | Amber | <b>\$21.39<sub>ea</sub></b> |

##### BACK-UP LIGHTS



- 24 LED diodes
- Extremely resistant to shock and vibration
- Lower current draw

|                  |          |                             |
|------------------|----------|-----------------------------|
| <b>TL 4060C3</b> | 4" Round | <b>\$48.09<sub>ea</sub></b> |
| <b>TL 6060C3</b> | 6" Oval  | <b>\$47.99<sub>ea</sub></b> |

#### 3-IN-1 ELECTRICAL AND AIR HOSE ASSEMBLIES

- Spiral wrapped for a clean, organized look
- Outstanding kink and abrasion resistance
- Cable jacketing is chemical and abrasion resistant
- Includes hanging clamp and clip for easy installation (part numbers **PHI55008** and **PHI17173**)

## PHILIPS



##### WEATHER-TITE™

The Weather-Tite™ seal resists water and contaminants from entering the electrical system



##### QCP™ (QUICK-CONNECT PLUG)

Reduces maintenance time with a 2-minute field replaceable plug-in cartridge



##### ZINC DIE-CAST

Heavy duty reinforced zinc die-cast housing for durability



##### M7 (MOLDED 7-WAY)

Unbreakable, corrosion resistant, and completely molded to the cable to prevent water intrusion at the back of the plug



#### RECOMMENDED FOR ABS APPLICATIONS

|                  |                                 |                              |
|------------------|---------------------------------|------------------------------|
| <b>PHI302170</b> | Weather-Tite™ Plugs, 15' Length | <b>\$203.89<sub>ea</sub></b> |
| <b>PHI302154</b> | QCP™ Plugs, 12' Length          | <b>\$269.49<sub>ea</sub></b> |
| <b>PHI302174</b> | QCP™ Plugs, 15' Length          | <b>\$276.29<sub>ea</sub></b> |
| <b>PHI302151</b> | Zinc Plugs, 12' Length          | <b>\$253.79<sub>ea</sub></b> |
| <b>PHI302171</b> | Zinc Plugs, 15' Length          | <b>\$225.99<sub>ea</sub></b> |
| <b>PHI301157</b> | M7 Plugs, 12' Length            | <b>\$241.89<sub>ea</sub></b> |
| <b>PHI301177</b> | M7 Plugs, 15' Length            | <b>\$227.29<sub>ea</sub></b> |

OTHER CONFIGURATIONS MAY BE AVAILABLE

#### MUFFLERS

##### HEAVY DUTY MUFFLER


- Inlet / Outlet: 5"
- Diameter: 10"
- Length: 51"
- Manufactured from aluminized steel for durability
- Engineered to reduce in-cab and exterior engine noise



**WAE22920** **\$113.19<sub>ea</sub>**

##### HEAVY DUTY MUFFLER


- Inlet / Outlet: 4"
- Diameter: 9"
- Length: 51"
- Manufactured from aluminized steel for durability
- Engineered to reduce in-cab and exterior engine noise



**WAE22936** **\$126.09<sub>ea</sub>**

##### HEAVY DUTY MUFFLER

- Inlet / Outlet: 5"
- Diameter: 9"
- Length: 26"
- Made from quality materials for longer life



**WAE22771** **\$112.99<sub>ea</sub>**

FIND SIMILAR PRODUCT ON PAGE 2

#### MUFFLERS

##### ROUND STYLE 1 MUFFLER


- Inlet: 4.02"
- Outlet: 5.03"
- Diameter: 9.01"
- Overall Length: 50.98"



**DN M090781** **\$285.19<sub>ea</sub>**

##### ROUND STYLE 1 MUFFLER

- Inlet: 5.03"
- Outlet: 5.03"
- Diameter: 10.06"
- Overall Length: 51"



**DN M100465** **\$181.79<sub>ea</sub>**

FIND SIMILAR PRODUCT ON PAGE 2

#### EXHAUST BELLOWS

- 300 series stainless steel construction
- Zero leak rate exhaust bellows, including torsional bellows (when necessary)
- Up to 10 times the life expectancy of conventional flex hose assemblies
- Kits include everything needed for proper installation



FIND SIMILAR  
PRODUCT ON  
PAGE 2

|                  |                                         |                              |
|------------------|-----------------------------------------|------------------------------|
| <b>RC FB3396</b> | For Volvo, OE #: 21533396, 5" x 12.4"   | <b>\$385.29<sub>ea</sub></b> |
| <b>RC FB8532</b> | For Mack / Volvo, 5" x 15.9", Torsional | <b>\$339.09<sub>ea</sub></b> |
| <b>RC FB8534</b> | For Mack / Volvo, 4" x 17.7"            | <b>\$255.49<sub>ea</sub></b> |
| <b>RC FB8536</b> | For Mack / Volvo, 4" x 17.7", Torsional | <b>\$262.79<sub>ea</sub></b> |







# POWER GENERATION

## OE FILTRATION

Don't just settle for parts that fit. Insist on Volvo Genuine Parts, which are engineered to work precisely with your engine for dependable performance. Our replacement and service parts are built to last, to consistently deliver the quality you need to maximize uptime and vehicle value.



|                 |                    |                             |
|-----------------|--------------------|-----------------------------|
| <b>23658092</b> | Oil Filter         | <b>\$20.21<sup>ea</sup></b> |
| <b>23151592</b> | Oil Filter         | <b>\$19.05<sup>ea</sup></b> |
| <b>21707132</b> | Oil Filter         | <b>\$32.36<sup>ea</sup></b> |
| <b>23920469</b> | Fuel Filter        | <b>\$42.03<sup>ea</sup></b> |
| <b>21715813</b> | Air Filter         | <b>\$80.13<sup>ea</sup></b> |
| <b>20435801</b> | Filter             | <b>\$20.05<sup>ea</sup></b> |
| <b>23044511</b> | Fuel Filter        | <b>\$41.57<sup>ea</sup></b> |
| <b>24225154</b> | Fuel Filter        | <b>\$49.59<sup>ea</sup></b> |
| <b>21937327</b> | Coolant Filter     | <b>\$14.26<sup>ea</sup></b> |
| <b>22480372</b> | Fuel Filter        | <b>\$26.68<sup>ea</sup></b> |
| <b>24283117</b> | Oil Filter Kit     | <b>\$37.10<sup>ea</sup></b> |
| <b>21380475</b> | Fuel Filter        | <b>\$34.50<sup>ea</sup></b> |
| <b>21737499</b> | Fuel Filter Insert | <b>\$36.43<sup>ea</sup></b> |
| <b>21937313</b> | Coolant Filter     | <b>\$21.19<sup>ea</sup></b> |

To deliver the performance, power and reliability you expect, Mack trucks are engineered to the highest specifications to meet exacting standards. Choosing Pure Mack parts to replace your filtration and lubrication components means your standards are as high as ours. Pure Mack filters are part of an integrated system of components that work together seamlessly. Mack uses only the finest available filter media, adhesives and seals to give your truck superior filtration.



|                 |                |                              |
|-----------------|----------------|------------------------------|
| <b>23658111</b> | Oil Filter     | <b>\$20.00<sup>ea</sup></b>  |
| <b>23920471</b> | Fuel Filter    | <b>\$42.41<sup>ea</sup></b>  |
| <b>23155587</b> | Oil Filter     | <b>\$19.05<sup>ea</sup></b>  |
| <b>21707135</b> | Oil Filter     | <b>\$32.36<sup>ea</sup></b>  |
| <b>24225156</b> | Fuel Filter    | <b>\$49.58<sup>ea</sup></b>  |
| <b>20972295</b> | Fuel Filter    | <b>\$44.09<sup>ea</sup></b>  |
| <b>21937298</b> | Coolant Filter | <b>\$14.26<sup>ea</sup></b>  |
| <b>21380521</b> | Fuel Filter    | <b>\$34.50<sup>ea</sup></b>  |
| <b>21075041</b> | Oil Filter     | <b>\$34.09<sup>ea</sup></b>  |
| <b>23381558</b> | Filter         | <b>\$100.62<sup>ea</sup></b> |
| <b>21937331</b> | Coolant Filter | <b>\$21.19<sup>ea</sup></b>  |
| <b>85114535</b> | Filter Kit     | <b>\$136.58<sup>ea</sup></b> |
| <b>24490626</b> | Filter Kit     | <b>\$155.29<sup>ea</sup></b> |
| <b>85136709</b> | Filter Kit     | <b>\$19.09<sup>ea</sup></b>  |

Your Isuzu truck works as hard as you do. The only job it can't do is fix itself. Whether you choose the time-tested Isuzu quality of true OEM or price-savvy FleetValue parts, you're making the right choice by sticking with Isuzu. Offering a comprehensive inventory of parts that will keep your Isuzu truck on the road.



|                   |                     |                             |
|-------------------|---------------------|-----------------------------|
| <b>2946542000</b> | Oil Filter          | <b>\$24.60<sup>ea</sup></b> |
| <b>29007N0000</b> | Air Filter          | <b>\$55.34<sup>ea</sup></b> |
| <b>8976282570</b> | Filter Gasket       | <b>\$46.39<sup>ea</sup></b> |
| <b>2946541000</b> | Oil Filter          | <b>\$23.88<sup>ea</sup></b> |
| <b>1876170150</b> | Urea Pump Filter    | <b>\$69.50<sup>ea</sup></b> |
| <b>294561P8A0</b> | Auto. Trans. Filter | <b>\$9.61<sup>ea</sup></b>  |
| <b>8127370860</b> | Oil Filter          | <b>\$8.87<sup>ea</sup></b>  |
| <b>2945611010</b> | Fuel Filter         | <b>\$16.13<sup>ea</sup></b> |

Hino Genuine Parts are engineered utilizing the highest quality materials and specifications. Each part is perfectly matched to work optimal together and to the precise specifications of the engine, transmission, body and vocation. Insisting on Hino Genuine Parts ensures long term performance backed by the industry leading Hino Trucks warranty.



|                      |                    |                              |
|----------------------|--------------------|------------------------------|
| <b>15613E0110</b>    | Oil Filter Set     | <b>\$33.69<sup>ea</sup></b>  |
| <b>23304E0020</b>    | Fuel Filter        | <b>\$23.65<sup>ea</sup></b>  |
| <b>23304EV023</b>    | Fuel Filter Set    | <b>\$60.15<sup>ea</sup></b>  |
| <b>2330478091</b>    | Fuel Filter Set    | <b>\$38.18<sup>ea</sup></b>  |
| <b>BG-1001272970</b> | Filter             | <b>\$3.96<sup>ea</sup></b>   |
| <b>23304EV360</b>    | Fuel Filter Set    | <b>\$51.56<sup>ea</sup></b>  |
| <b>178013440A</b>    | Air Cleaner Filter | <b>\$78.54<sup>ea</sup></b>  |
| <b>FS1994290</b>     | Fuel Filter        | <b>\$30.48<sup>ea</sup></b>  |
| <b>S156072051</b>    | Oil Filter         | <b>\$44.75<sup>ea</sup></b>  |
| <b>2330478380</b>    | Fuel Filter Set    | <b>\$67.14<sup>ea</sup></b>  |
| <b>S17K0E0020</b>    | Urea Pump Filter   | <b>\$73.97<sup>ea</sup></b>  |
| <b>15613EV140</b>    | Oil Filter         | <b>\$116.34<sup>ea</sup></b> |

## EXHAUST COMPONENTS



### HEAVY-DUTY FLEX TUBING

- Heavy-duty thickness, ranging from .012" to .018"
- Galvanized is made for applications up to 600°F
- Stainless steel is made for applications over 1,200°F



|                 |                    |                             |
|-----------------|--------------------|-----------------------------|
| <b>WAE40010</b> | 3.5" Galvanized    | <b>\$6.49<sup>ft</sup></b>  |
| <b>WAE40011</b> | 4" Galvanized      | <b>\$7.79<sup>ft</sup></b>  |
| <b>WAE40012</b> | 5" Galvanized      | <b>\$9.89<sup>ft</sup></b>  |
| <b>WAE40022</b> | 4" Stainless Steel | <b>\$13.69<sup>ft</sup></b> |
| <b>WAE40023</b> | 5" Stainless Steel | <b>\$15.29<sup>ft</sup></b> |

### HEAVY-DUTY U-BOLT CLAMPS

- Manufactured from premium steel for greater strength and durability



|                 |                   |                            |
|-----------------|-------------------|----------------------------|
| <b>WAE35335</b> | 2" U-Bolt Clamp   | <b>\$1.69<sup>ea</sup></b> |
| <b>WAE35337</b> | 2.5" U-Bolt Clamp | <b>\$1.89<sup>ea</sup></b> |
| <b>WAE35794</b> | 3" U-Bolt Clamp   | <b>\$3.39<sup>ea</sup></b> |
| <b>WAE35753</b> | 3.5" U-Bolt Clamp | <b>\$4.09<sup>ea</sup></b> |
| <b>WAE35752</b> | 4" U-Bolt Clamp   | <b>\$4.69<sup>ea</sup></b> |
| <b>WAE35775</b> | 5" U-Bolt Clamp   | <b>\$6.69<sup>ea</sup></b> |
| <b>WAE35795</b> | 6" U-Bolt Clamp   | <b>\$9.49<sup>ea</sup></b> |

OTHER EXHAUST COMPONENTS  
ALSO IN STOCK

## EXHAUST COMPONENTS

### STEPPED PREFORMED SEALCLAMP™

- Easy to install, no need to weld or disconnect your exhaust system
- The wide band conforms to the shape of the straight or flex pipe and seals without distorting the pipe

|                   |                     |                             |
|-------------------|---------------------|-----------------------------|
| <b>DN X007784</b> | 4", Stainless Steel | <b>\$14.79<sup>ea</sup></b> |
| <b>DN X007785</b> | 5", Stainless Steel | <b>\$15.29<sup>ea</sup></b> |
| <b>DN X007824</b> | 4", Aluminized      | <b>\$13.59<sup>ea</sup></b> |

### FLAT BAND SEALCLAMP™

- For overlapping I.D. to O.D. slotted joints and flex tube
- Reduces noise and exhaust leaks

|                   |                     |                             |
|-------------------|---------------------|-----------------------------|
| <b>DN X004482</b> | 4", Stainless Steel | <b>\$13.39<sup>ea</sup></b> |
|-------------------|---------------------|-----------------------------|



Donaldson  
FILTRATION SOLUTIONS

### TORCITE® CLAMP

|                   |                |                             |
|-------------------|----------------|-----------------------------|
| <b>DN J009607</b> | 5", Aluminized | <b>\$16.39<sup>ea</sup></b> |
|-------------------|----------------|-----------------------------|

OTHER EXHAUST COMPONENTS  
ALSO IN STOCK




|                   |    |                             |
|-------------------|----|-----------------------------|
| <b>DN M001865</b> | 5" | <b>\$29.79<sup>ea</sup></b> |
|-------------------|----|-----------------------------|

### STANDARD U-BOLT CLAMPS

- Single, round band
- Made of cold rolled steel
- Assembly torque: 15 ft-lbs

|                   |           |                            |
|-------------------|-----------|----------------------------|
| <b>DN P206410</b> | 4", Steel | <b>\$6.89<sup>ea</sup></b> |
| <b>DN P206411</b> | 5", Steel | <b>\$7.49<sup>ea</sup></b> |



## DONALDSON FILTRATION

Donaldson filters help keep your engines and equipment running smoothly. Today's diesel engines need to maintain high-performance levels to remain compliant with stringent emissions regulations and modern biodiesel blends. Fuel filtration plays a key role, with current high-pressure common rail fuel injectors operating at pressures up to 2,000 - 3,100 bar / 30,000 - 45,000 psi. Clean, dry fuel helps minimize expensive repairs and unplanned downtime.



|                   |                                 |                             |
|-------------------|---------------------------------|-----------------------------|
| <b>DN P550425</b> | Lube Filter, Bypass             | <b>\$28.69<sup>ea</sup></b> |
| <b>DN P551838</b> | Fuel Filter, Water Separator    | <b>\$44.59<sup>ea</sup></b> |
| <b>DN DBF5967</b> | Fuel Filter, Secondary          | <b>\$40.49<sup>ea</sup></b> |
| <b>DN P550851</b> | Fuel Filter, Water Separator    | <b>\$29.49<sup>ea</sup></b> |
| <b>DN P550529</b> | Fuel Filter                     | <b>\$23.69<sup>ea</sup></b> |
| <b>DN P559000</b> | Lube Filter, Full Flow          | <b>\$55.19<sup>ea</sup></b> |
| <b>DN DBA5114</b> | Air Filter, Primary Radial Seal | <b>\$93.39<sup>ea</sup></b> |
| <b>DN P537876</b> | Air Filter, Primary Radial Seal | <b>\$78.59<sup>ea</sup></b> |
| <b>DN P553191</b> | Lube Filter, Full Flow          | <b>\$14.09<sup>ea</sup></b> |
| <b>DN P582021</b> | Lube Filter, Full Flow          | <b>\$24.19<sup>ea</sup></b> |
| <b>DN P550519</b> | Lube Filter, Full Flow          | <b>\$25.29<sup>ea</sup></b> |
| <b>DN P550467</b> | Fuel Filter, Water Separator    | <b>\$22.69<sup>ea</sup></b> |
| <b>DN P550735</b> | Fuel Filter, Water Separator    | <b>\$71.09<sup>ea</sup></b> |
| <b>DN P550335</b> | Lube Filter, Full Flow          | <b>\$7.59<sup>ea</sup></b>  |

## FLEETGUARD FILTRATION

Whether powering an 18-wheeler down the highway or a bulldozer on a construction site, your engines are exposed to dirt, rust, water and other contaminants. Quality filtration can keep all that bad stuff from causing significant damage to your engine — and your business. Fleetguard fuel filters and processors deliver best-in-class performance using proprietary media like StrataPore® and NanoNet® that meets or exceeds OEM quality and performance.



|                     |                            |                             |
|---------------------|----------------------------|-----------------------------|
| <b>FG LF667</b>     | Lube Filter Q              | <b>\$16.09<sup>ea</sup></b> |
| <b>FG FF5507</b>    | Fuel Filter                | <b>\$26.79<sup>ea</sup></b> |
| <b>FG LF3654</b>    | Oil Filter, Cellulose      | <b>\$34.09<sup>ea</sup></b> |
| <b>FG LF14000NN</b> | Oil Filter Combo           | <b>\$63.69<sup>ea</sup></b> |
| <b>FG FF63054NN</b> | Fuel Filter                | <b>\$55.69<sup>ea</sup></b> |
| <b>FG LF3970</b>    | Lube Filter Q              | <b>\$17.29<sup>ea</sup></b> |
| <b>FG FS19729</b>   | Fuel Filter, Standard Size | <b>\$23.89<sup>ea</sup></b> |
| <b>FG LF3973</b>    | Oil Filter, Cellulose      | <b>\$23.49<sup>ea</sup></b> |
| <b>FG FF5776</b>    | Fuel Filter                | <b>\$73.59<sup>ea</sup></b> |
| <b>FG FF5825NN</b>  | Fuel Filter                | <b>\$88.09<sup>ea</sup></b> |
| <b>FG FF42128NN</b> | Fuel Filter                | <b>\$46.99<sup>ea</sup></b> |
| <b>FG LF3675</b>    | Oil Filter, Cellulose      | <b>\$28.69<sup>ea</sup></b> |
| <b>FG FF5369W</b>   | Fuel Filter                | <b>\$15.59<sup>ea</sup></b> |
| <b>FG LF17502</b>   | Oil Filter, Cellulose      | <b>\$34.09<sup>ea</sup></b> |

## BALDWIN FILTRATION

### SUPERIOR PROTECTION TO KEEP YOUR EQUIPMENT RUNNING

Baldwin Filters offers an extensive selection of lube, air, fuel, hydraulic, coolant and transmission filters for the trucking, construction, mining, agricultural, marine and mobile power generation industries.

- Every phase of production is designed to ensure the highest quality and performance standards

- When you need quality coverage, Baldwin has the widest range of filtration products in the mobile aftermarket

- With an extensive distribution network, you can trust Baldwin has the filters you need, when and where you need them

We have the coverage, quality, service and dependability you need. With an in-depth understanding of the mobile engine industry and a relentless focus on innovative filtration technologies, Baldwin has a full range of filters to keep equipment running at peak performance.



## COOLANT RESERVOIRS

These replacement engine coolant reservoirs are manufactured from quality materials to withstand the stresses of underhood heat and engine vibration. They are engineered and manufactured to match the fit and function of the original part.

COOLANT RESERVOIRS ARE  
AVAILABLE FOR A VARIETY  
OF MAKES / MODELS



### NON-PRESSURIZED

Mack CV, 2007 - 2004  
GU7, 2008  
GU8, 2008



|                     |                             |
|---------------------|-----------------------------|
| <b>DOR-603-5501</b> | <b>\$41.99<sup>ea</sup></b> |
|---------------------|-----------------------------|

### PRESSURIZED

Mack CV, 2007 - 2002  
GU7, 2008  
GU8, 2008



|                     |                             |
|---------------------|-----------------------------|
| <b>DOR-603-5502</b> | <b>\$50.59<sup>ea</sup></b> |
|---------------------|-----------------------------|

### PRESSURIZED

Mack 2018 - 2008  
Volvo 2018 - 2008



|                     |                              |
|---------------------|------------------------------|
| <b>DOR-603-5505</b> | <b>\$142.69<sup>ea</sup></b> |
|---------------------|------------------------------|

## DPF AND DOC KITS

- Matches OE performance
- Comes with a 3-year warranty
- Manufactured according to OE technology
- In-house coating and manufacturing



All DPF Kits include  
Gaskets & Clamp,  
an \$80+ value!

### DPF KIT FOR MACK MP8 / VOLVO D13

OE #: 22810503  
DIA.: 13.22"  
HEIGHT: 13.30"



|                 |                                |
|-----------------|--------------------------------|
| <b>DX-82010</b> | <b>\$1,275.19<sup>ea</sup></b> |
|-----------------|--------------------------------|

### DPF KIT FOR MACK MP7 / VOLVO D11

OE #: 22761989  
DIA.: 14.05"  
HEIGHT: 12.59"



|                 |                                |
|-----------------|--------------------------------|
| <b>DX-82013</b> | <b>\$1,442.29<sup>ea</sup></b> |
|-----------------|--------------------------------|

### DPF KIT FOR VOLVO / MACK MP7

OE #: 21395825  
DIA.: 13.30"  
HEIGHT: 13.30"



|                 |                                |
|-----------------|--------------------------------|
| <b>DX-82014</b> | <b>\$1,979.59<sup>ea</sup></b> |
|-----------------|--------------------------------|

### DOC KIT FOR MACK MP7, MP8, MP10 VOLVO D11, D13, D16

OE #: 21850645  
DIA.: 12.99"  
HEIGHT: 12.99"



|                 |                                |
|-----------------|--------------------------------|
| <b>DX-82018</b> | <b>\$1,879.29<sup>ea</sup></b> |
|-----------------|--------------------------------|

### DPF KIT FOR MACK MP7, MP8 VOLVO D11, D13

OE #: 21716414  
DIA.: 12.60"  
HEIGHT: 13.54"



|                  |                                |
|------------------|--------------------------------|
| <b>DX-8A1002</b> | <b>\$1,947.49<sup>ea</sup></b> |
|------------------|--------------------------------|

### DPF KIT FOR VOLVO / MACK MP7

OE #: 20869859  
DIA.: 13.17"  
HEIGHT: 13.17"



|                 |                                |
|-----------------|--------------------------------|
| <b>DX-82008</b> | <b>\$1,357.59<sup>ea</sup></b> |
|-----------------|--------------------------------|





# POWER GENERATION




## OE BELTS



|                 |               |                              |
|-----------------|---------------|------------------------------|
| <b>24171422</b> | Belt          | <b>\$52.28<sup>ea</sup></b>  |
| <b>23961766</b> | V-Ribbed Belt | <b>\$44.13<sup>ea</sup></b>  |
| <b>23857789</b> | Belt          | <b>\$43.94<sup>ea</sup></b>  |
| <b>23962277</b> | V-Ribbed Belt | <b>\$100.53<sup>ea</sup></b> |
| <b>23961868</b> | V-Ribbed Belt | <b>\$69.09<sup>ea</sup></b>  |
| <b>23961724</b> | V-Ribbed Belt | <b>\$34.92<sup>ea</sup></b>  |
| <b>24201752</b> | V-Ribbed Belt | <b>\$254.13<sup>ea</sup></b> |



|                 |               |                             |
|-----------------|---------------|-----------------------------|
| <b>23961764</b> | V-Ribbed Belt | <b>\$52.92<sup>ea</sup></b> |
| <b>24171417</b> | Belt          | <b>\$43.48<sup>ea</sup></b> |
| <b>23961760</b> | V-Ribbed Belt | <b>\$52.36<sup>ea</sup></b> |
| <b>23717270</b> | Belt          | <b>\$44.91<sup>ea</sup></b> |
| <b>23961828</b> | V-Ribbed Belt | <b>\$69.84<sup>ea</sup></b> |
| <b>24058597</b> | Belt          | <b>\$56.59<sup>ea</sup></b> |



|                   |                  |                             |
|-------------------|------------------|-----------------------------|
| <b>8981638210</b> | Belt - A/C Comp. | <b>\$38.18<sup>ea</sup></b> |
| <b>8982254600</b> | Fan Belt         | <b>\$40.14<sup>ea</sup></b> |



|                   |                     |                             |
|-------------------|---------------------|-----------------------------|
| <b>SZ91045354</b> | V-Belt - A/C Comp.  | <b>\$33.92<sup>ea</sup></b> |
| <b>SZ91045377</b> | V-Belt              | <b>\$98.99<sup>ea</sup></b> |
| <b>SZ91049324</b> | V-Belt for Fan/Alt. | <b>\$74.86<sup>ea</sup></b> |

## AFTERMARKET BELTS

### FLEETRANNER® MICRO-V® BELTS

Engineered to save your fleet money and lost service time. Patented EPDM construction with distinct green overcord built specifically for more durability, superior flexibility, stability, and longer life on heavy-duty drives. Haul more. Drive longer.

**FleetRunner**



- Oil and heat-resistant
- Superior resistance to the high heat conditions of modern diesel engines
- Heavy-duty construction resists cracking and wear
- Unique undercord notch pattern offers increased flexibility for smaller diameter pulleys
- Advanced blend of EPDM rubber technology withstands the modern threats of deterioration from increased exposure to oil, ozone and water-based coolants

**HEAVY-DUTY  
BELT TENSIONER  
ALSO AVAILABLE**

|                     |                                   |                         |         |                             |
|---------------------|-----------------------------------|-------------------------|---------|-----------------------------|
| <b>GAH9510HD</b>    | 51.00" / 1,295mm Effective Length | 0.510" / 13mm Top Width | Notched | <b>\$31.59<sup>ea</sup></b> |
| <b>GAH9590HD</b>    | 59.04" / 1,500mm Effective Length | 0.510" / 13mm Top Width | Notched | <b>\$23.79<sup>ea</sup></b> |
| <b>GAHK060525HD</b> | 52.76" / 1,340mm Effective Length | 0.807" / 20mm Top Width | 6 Ribs  | <b>\$30.69<sup>ea</sup></b> |
| <b>GAHK080575HD</b> | 57.51" / 1,461mm Effective Length | 1.087" / 28mm Top Width | 8 Ribs  | <b>\$60.69<sup>ea</sup></b> |
| <b>GAHK080630HD</b> | 63.04" / 1,601mm Effective Length | 1.087" / 28mm Top Width | 8 Ribs  | <b>\$58.49<sup>ea</sup></b> |
| <b>GAHK120858HD</b> | 85.78" / 2,179mm Effective Length | 1.647" / 42mm Top Width | 12 Ribs | <b>\$95.79<sup>ea</sup></b> |
| <b>GAHK080991HD</b> | 99.08" / 2,517mm Effective Length | 1.087" / 28mm Top Width | 8 Ribs  | <b>\$58.99<sup>ea</sup></b> |

## WATER PUMPS

Water pumps come complete with hub, gaskets and 100% new bearings. A unitized type seal and stainless steel impellers are installed for increased water flow, and completed assemblies are vacuum tested.

**REMACK®**



|                    |                                                                      |                              |
|--------------------|----------------------------------------------------------------------|------------------------------|
| <b>85021352</b>    | E7 E-TECH™ and ASET™ Engine applications with 149.6mm (5.88") pulley | <b>\$277.23<sup>ea</sup></b> |
| <b>316GC551M2X</b> | E7 E-TECH™ Engines (302GC475M, 4101M pulley)                         | <b>\$337.24<sup>ea</sup></b> |
| <b>85000786</b>    | D12C, D12D                                                           | <b>\$529.83<sup>ea</sup></b> |

## CYLINDER HEADS

**REMACK®**

All remanufactured cylinder heads are completely disassembled and cleaned. The castings are Magnaflux®-inspected and pressure-tested. State-of-the-art computer controlled machining centers machine all surfaces to reman and/or OEM specifications to ensure REMACK® quality. All valves and valve seats are inspected and machined. All remanufactured cylinder heads are complete with valves, valve guide seals (where applicable), heavy-duty valve springs, rotators and keepers. New valve guides and rotators are installed 100%. Completed assemblies are vacuum-tested to ensure proper seal.



|                 |                                                                                  |                                |
|-----------------|----------------------------------------------------------------------------------|--------------------------------|
| <b>85013948</b> | MP8 All EPA17 and EPA21 OBD20/21 VGT & EPA17 OBD20 Turbo Compound Engines        | <b>\$4,111.49<sup>ea</sup></b> |
| <b>85020889</b> | MP8 EPA14 Engines                                                                | <b>\$4,111.49<sup>ea</sup></b> |
| <b>85022656</b> | MP8 EPA07 / EPA10 Engines, Conical (SS) type injector cup applications           | <b>\$4,137.99<sup>ea</sup></b> |
| <b>85013082</b> | MP7 EPA04 / EPA07                                                                | <b>\$1,176.49<sup>ea</sup></b> |
| <b>85022656</b> | D13F and D13H EPA07 / EPA10 Engines, Conical (SS) type injector cup applications | <b>\$4,137.99<sup>ea</sup></b> |
| <b>85020889</b> | D13J EPA14 Engines                                                               | <b>\$4,111.49<sup>ea</sup></b> |
| <b>85000191</b> | D12D Engines                                                                     | <b>\$3,584.99<sup>ea</sup></b> |

## INJECTOR KITS

- Kit includes:
- 3 remanufactured pumping injectors
  - 3 remanufactured nozzles
  - 6 sleeves
  - 6 o-rings
  - 6 flange screws
  - Adjusting screws and nuts

**REMACK®**



|                 |                                                                                   |                                |
|-----------------|-----------------------------------------------------------------------------------|--------------------------------|
| <b>85144516</b> | D11J, MP7 EPA14/OBD15/OBD16 conical injector kit                                  | <b>\$2,557.99<sup>ea</sup></b> |
| <b>85144518</b> | D13J, MP8 EPA14/OBD15/OBD16 conical injector kit                                  | <b>\$2,583.49<sup>ea</sup></b> |
| <b>85143381</b> | D11J, MP7 EPA10/OBD13 enhanced with coated NCV (Needle Control Valve)             | <b>\$3,037.59<sup>ea</sup></b> |
| <b>85143382</b> | D13H, MP8 EPA10/OBD13 enhanced unit injectors w/coated NCV (Needle Control Valve) | <b>\$3,007.59<sup>ea</sup></b> |

## TURBOS

REMACK and Volvo Reman Turbochargers meet the OE's strictest standards to ensure the most durable and reliable products. Choosing genuine REMACK and Volvo Reman quality will provide maximum uptime and engine performance. 1-Year / Unlimited Mile Warranty.

**REMACK®**



|                 |                               |                                |
|-----------------|-------------------------------|--------------------------------|
| <b>85151095</b> | MP8 VGT EPA10 through EPA17   | <b>\$3,576.59<sup>ea</sup></b> |
| <b>85151093</b> | MP7 VGT EPA 10 through EPA 17 | <b>\$3,576.59<sup>ea</sup></b> |
| <b>85151099</b> | MP7 VGT EPA07                 | <b>\$3,623.89<sup>ea</sup></b> |
| <b>85151101</b> | MP8 VGT EPA07                 | <b>\$3,714.49<sup>ea</sup></b> |
| <b>85151094</b> | D13H, D13J, EPA 10, EPA17     | <b>\$3,576.59<sup>ea</sup></b> |
| <b>85152096</b> | D13M EPA17 / OBD18 / OBD19    | <b>\$1,629.49<sup>ea</sup></b> |
| <b>85151092</b> | D11H, D11J, EPA 10, EPA 17    | <b>\$3,587.59<sup>ea</sup></b> |
| <b>85151100</b> | D13F, EPA07                   | <b>\$3,415.19<sup>ea</sup></b> |

## OIL PUMPS

Pressure relief plungers are replaced with 100% new. Cover plates are resurfaced, when necessary, to maintain flatness and surface finish.



**REMACK®**

|                    |                                                                                                                                                                                               |                              |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|
| <b>315GC466MX</b>  | E7 E-TECH™ and ASET™ Engines (front or rear sump with increased volume internal gearing)                                                                                                      | <b>\$833.22<sup>ea</sup></b> |
| <b>315GC459M2X</b> | E7 PLN Engines (front or rear sump oil pan, increased ratio 12 tooth driven gear on oil pump shaft); Requires Auxiliary shaft 453GC381AM or 389M                                              | <b>\$699.08<sup>ea</sup></b> |
| <b>315GC467MX</b>  | E7 PLN Engines (front or rear sump with increased volume internal gearing); Replaces 315GC460MX, 460M2X (13-tooth driven gear on oil pump shaft); Requires Auxiliary shaft 453GC379AM or 435M | <b>\$773.41<sup>ea</sup></b> |


# POWER TRANSMISSION

## TRANSMISSIONS

The Mack mDRIVE™ transmission is an automated manual transmission originally built for Mack Pinnacle™ tractors. This 12-speed, two-pedal transmission not only delivers smooth shifts every time, but also maximizes driver comfort, payload and fuel economy.

Automated manual transmission  
12-Speed, two-pedal  
Direct Drive and Overdrive offerings  
1,920 lb.-ft. torque capacity

**mDRIVE™**



|                 |                                                                                                                                                                                                               |                                 |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|
| <b>85023331</b> | iShift Short Transmission<br>ATO2512C / ATO2612D Applications<br>Services 3190598, 3190801, 3190967, 85003222, 85020023,<br>85131805, 85020581, 85013433, 85013434<br>(Variants - TC-MWOR, URETARD, PSS-SING) | <b>\$3,723.84<sup>ea</sup></b>  |
| <b>85020581</b> | iShift Complete Transmission<br>ATO2512C / ATO2612D Applications<br>Services 3190598, 3190801, 3190967, 85003222, 85020023,<br>85131805, (Variants - TC-MWOR, URETARD, PSS-SING)                              | <b>\$10,193.67<sup>ea</sup></b> |

## CARRIERS

REMACK carriers are fully disassembled to their most basic components and remanufactured to meet the original factory specification. Units are completely disassembled, cleaned, and remanufactured. Bearings, races, seals, shims, bull hear nuts and bolts are replaced with 100% new. Remanufactured to bring all dimensions back to OEM specifications for size and finish on all housing bores and wear surfaces. All inspections are done with calibrated gauging. All parts and housings are machined back to OEM specifications. REMACK carriers are assembled by trained factory technicians with 100% Pure Mack parts, and backed by a two-year, unlimited mileage warranty\* (95/96 models: six-month, unlimited mileage warranty).



**REMACK®**

**REMACK parts are as good as new, engineered specifically for your vehicle to deliver maximum performance, reliability, and increased uptime while keeping your truck 100% Mack.**

|                    |                       |                                |
|--------------------|-----------------------|--------------------------------|
| <b>11KH5499P4R</b> | CRD93, 4.42 Ratio     | <b>\$2,707.19<sup>ea</sup></b> |
| <b>11KH5495P4R</b> | CRDPC92LO, 4.42 Ratio | <b>\$3,977.19<sup>ea</sup></b> |

## EASY PEDAL ADVANTAGE CLUTCHES

The Eaton Easy Pedal Advantage® is North America's No. 1 clutch, offering more protection, less maintenance, and maximum uptime and performance. With the use of assist springs, the Easy-Pedal™ design reduces pedal effort by as much as 50%, increasing driver satisfaction and ease of operation.

- 50,000 mile lube interval for line-haul application
- Steel-backed bushings resist wear for increased service life
- Premium damper reduces drivetrain torsionals
- Proprietary facing material to provide longer disc facing life



|                    |                                        |                                |
|--------------------|----------------------------------------|--------------------------------|
| <b>SP 30892525</b> | 7 Spring, Manual, 2050 ft/lb, 6 paddle | <b>\$1,295.69<sup>ea</sup></b> |
| <b>SP 30892551</b> | 9 Spring, Manual, 1650 ft/lb, 4 paddle | <b>\$1,299.89<sup>ea</sup></b> |
| <b>SP 30892568</b> | 9 Spring, Manual, 1850 ft/lb, 4 paddle | <b>\$1,398.29<sup>ea</sup></b> |
| <b>SP 30892582</b> | 7 Spring, Manual, 1700 ft/lb, 4 paddle | <b>\$1,019.29<sup>ea</sup></b> |
| <b>SP 30892591</b> | 9 Spring, Manual, 1650 ft/lb, 6 paddle | <b>\$1,406.79<sup>ea</sup></b> |
| <b>SP 30892598</b> | 9 Spring, Manual, 1850 ft/lb, 6 paddle | <b>\$1,514.39<sup>ea</sup></b> |






# POWER TRANSMISSION

## U-JOINTS

Spicer® commercial vehicle u-joints are engineered to ensure peak performance. On the road or in the lab, they consistently outperform the competition. With these commercial vehicle u-joints, you'll experience the Spicer® advantage of:

- Better performance
- Longer life
- Lower operating costs




|                 |                        |                  |                    |                        |                   |
|-----------------|------------------------|------------------|--------------------|------------------------|-------------------|
| <b>SP 5103X</b> | 1000SG Series          | <b>\$20.99ea</b> | <b>SP 5675X</b>    | 1710 Series, HR Style  | <b>\$69.39ea</b>  |
| <b>SP 5153X</b> | 1310 Series, OSR Style | <b>\$15.09ea</b> | <b>SP 5676X</b>    | 1810 Series, HR Style  | <b>\$114.89ea</b> |
| <b>SP 5170X</b> | 1000 Series, PTO       | <b>\$17.29ea</b> | <b>SP 5677X</b>    | 1760 Series, HR Style  | <b>\$80.79ea</b>  |
| <b>SP 5178X</b> | 1350 Series, OSR Style | <b>\$19.99ea</b> | <b>SP SPL1704X</b> | Spicer Life Series, OE | <b>\$100.09ea</b> |
| <b>SP 5280X</b> | 1710 Series, BP Style  | <b>\$53.69ea</b> | <b>SP SPL2503X</b> | Spicer Life Series, OE | <b>\$155.69ea</b> |
| <b>SP 5281X</b> | 1810 Series, BP Style  | <b>\$91.29ea</b> |                    |                        |                   |

## NTN | BOWER BEARINGS

### THE POWER OF BOWER

Bower OE and aftermarket bearings are recognized as among the very best in the industry, with a list of quality product innovations and firsts that is long, distinguished and growing. Bower products are shipped from Bower plants located in Macomb, Illinois and Hamilton, Alabama, and enjoy a reputation for reliability and high performance in the no-nonsense world of big-rigs and other hardworking vehicles.



|                  |                                                                                  |                   |
|------------------|----------------------------------------------------------------------------------|-------------------|
| <b>NTNSET401</b> | 580/572 Industry Standard R Drive Axle - Outer Bearing                           | <b>\$53.99ea</b>  |
| <b>NTNSET402</b> | 582/572 Potential R Drive Axle - Outer Bearing (Mack Special Radius)             | <b>\$60.79ea</b>  |
| <b>NTNSET403</b> | 594A/592A Industry Standard Drive Axle - Inner Bearing                           | <b>\$64.19ea</b>  |
| <b>NTNSET413</b> | HM212049/HM212011 FF Steer Axle - Inner Bearing / N Trailer Axle - Outer Bearing | <b>\$44.19ea</b>  |
| <b>NTNSET414</b> | HM218248/HM218210 FF Steer Axle - Inner Bearing / N Trailer Axle - Outer Bearing | <b>\$66.39ea</b>  |
| <b>NTNSET421</b> | HM516449A/HM516410 Rear Axle - Inner Bearing (Mack)                              | <b>\$93.39ea</b>  |
| <b>NTNSET422</b> | HM516449C/HM516410 Rear Axle - Inner Bearing (Mack)                              | <b>\$88.49ea</b>  |
| <b>NTNSET423</b> | 6461A/6420 Industry Standard FL Steer Axle - Inner Bearing                       | <b>\$145.39ea</b> |
| <b>NTNSET424</b> | 555S/552A Industry Standard FL Steer Axle - Outer Bearing                        | <b>\$74.19ea</b>  |
| <b>NTNSET426</b> | 47679/47620 Rear Axle - Outer Bearing (Mack)                                     | <b>\$75.59ea</b>  |

## TIMKEN BEARINGS

### Keep Your Trucks Rolling with Timken MileMate Bearing Sets

Engineered for superior performance and increased reliability, Timken® MileMate® matched cup and cone bearing sets help increase uptime. Precisely matched sets enable easier installation and bearings will distribute loads more evenly, extending bearing life.



|                  |                                                                                  |                   |
|------------------|----------------------------------------------------------------------------------|-------------------|
| <b>TRBSET401</b> | 580/572 Industry Standard R Drive Axle - Outer Bearing                           | <b>\$61.49ea</b>  |
| <b>TRBSET402</b> | 582/572 Potential R Drive Axle - Outer Bearing (Mack Special Radius)             | <b>\$73.99ea</b>  |
| <b>TRBSET403</b> | 594A/592A Industry Standard R Drive Axle - Inner Bearing                         | <b>\$73.19ea</b>  |
| <b>TRBSET406</b> | 3782/3720 Industry Standard FF Steer Axle - Outer Bearing                        | <b>\$34.49ea</b>  |
| <b>TRBSET413</b> | HM212049/HM212011 FF Steer Axle - Inner Bearing / N Trailer Axle - Outer Bearing | <b>\$49.99ea</b>  |
| <b>TRBSET414</b> | HM218248/HM218210 FF Steer Axle - Inner Bearing / N Trailer Axle - Outer Bearing | <b>\$75.79ea</b>  |
| <b>TRBSET415</b> | HM518445/HM218210 Industry Standard P Trailer Axle - Inner and Outer Bearing     | <b>\$86.69ea</b>  |
| <b>TRBSET421</b> | HM516449A/HM516410 Rear Axle - Inner Bearing (Mack)                              | <b>\$115.89ea</b> |
| <b>TRBSET422</b> | HM516449C/HM516410 Rear Axle - Inner Bearing (Mack)                              | <b>\$109.09ea</b> |
| <b>TRBSET423</b> | 6461A/6420 Industry Standard FL Steer Axle - Inner Bearing                       | <b>\$169.49ea</b> |
| <b>TRBSET424</b> | 555S/552A Industry Standard FL Steer Axle - Outer Bearing                        | <b>\$86.49ea</b>  |
| <b>TRBSET426</b> | 47679/47620 Rear Axle - Outer Bearing (Mack)                                     | <b>\$91.99ea</b>  |

## FAN CLUTCH

### FAN CLUTCHES AND COMPONENTS

Horton has been pioneering engine cooling solutions for over 65 years. You'll find their fans, fan drives and clutches on heavy-, medium-, and light-duty trucks, buses, RVs, refuse vehicles and more. And on-highway products have particular needs that Horton can solve and solve well...like reduced noise, fuel efficiency and long-term durability. No one does it better than Horton.



|                     |                                                                            |                     |
|---------------------|----------------------------------------------------------------------------|---------------------|
| <b>HOR9908504</b>   | K32 Dual Pilot Clutch, 2.56" and 5.00" Fan Pilot                           | <b>\$488.59ea</b>   |
| <b>HOR991451</b>    | HT650 Fan Clutch for Mack E6 / E7 / EN-300, Cummins LT 10, 5.00" Fan Pilot | <b>\$1,031.39ea</b> |
| <b>HOR992660251</b> | 26" Fan Blade, 2.56" Diameter, 9 Blades, Clockwise                         | <b>\$256.09ea</b>   |
| <b>HOR79A9644</b>   | DM Advantage On / Off Fan Clutch for Mack MP8 / Volvo D13, 2.56", Reman    | <b>\$956.19ea</b>   |

### REMAN DM ADVANTAGE TWO-SPEED FAN CLUTCHES

DM Advantage Two-Speed Fan Clutches alternate between eddy current and spring-actuated cooling. While using eddy current, the fan clutch turns the fan at a lower speed, which reduces operating noise, increases available horsepower for auxiliary systems and minimizes radiator abrasion from dust and debris. It spring-actuates when more cooling is needed, running the fan at full input speed. It also provides faster engine warm-ups in cold weather.




|                    |                                                                        |                     |
|--------------------|------------------------------------------------------------------------|---------------------|
| <b>HOR79A8177</b>  | DM Advantage Two-Speed Fan Clutch for Mack, 2.56"                      | <b>\$1,375.19ea</b> |
| <b>HOR79A94942</b> | DM Advantage Two-Speed Fan Clutch for Mack CV / Granite (02-07), 2.56" | <b>\$1,375.19ea</b> |
| <b>HOR79A94952</b> | DM Advantage Two-Speed Fan Clutch for Mack CV / Granite (02-07), 2.56" | <b>\$1,375.19ea</b> |
| <b>HOR79A94982</b> | DM Advantage Two-Speed Fan Clutch for Mack MR / LE (02-07), 2.56"      | <b>\$1,375.19ea</b> |

## CARRIER BEARINGS

### THE ATRO DIFFERENCE

Atro maintains 11 proprietary formulations, Atro Polys, each having unique physical properties to optimize performance. Whether absorbing a shock or transferring energy, Atro is engineered to function based on the demands of the part. Atro provides polyurethane parts and solutions for heavy trucks.



|                                                                                                                                                                                                                                                                                                       |                             |                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------|
| <b>ATRCR0067121</b>                                                                                                                                                                                                                                                                                   | 1710 Series Carrier Bearing | <b>\$76.49ea</b> |
| Replaces: 210121-1X: Autocar; International, Kenworth, Mack, Meritor, Spicer, Volvo Blue Bird: 00108533 Euclid: E4001776 Ford: C8HA-4800B; D4TZ-4800G Gaff: 40075 General Motors: 2406989; 15616328 Mack: 35MUA31; 35MUA32P1 Newstar: S-1980 Spicer: KCB121                                           |                             |                  |
| <b>ATRCR0067825</b>                                                                                                                                                                                                                                                                                   | 1810 Series Carrier Bearing | <b>\$95.19ea</b> |
| Replaces 210661-1X: Arvin Meritor, Autocar, Kenworth, Mack, Peterbilt, Spicer, Volvo CB2106611XSA: Arvin Meritor, Autocar, International, Kenworth, Peterbilt, Volvo Ford: D4TZ4800J Freightliner: SP2106611X Gaff: 40074, 40197 GMC: 15512196 International: 283071C93 Mack: 203SJ13 Spicer: 5003323 |                             |                  |

## CENTER BEARING

Instead of just replacing your center bearings, why not install a better idea? Meritor's industry-leading center bearing design assures optimum alignment to the driveshaft under all operating conditions. The Meritor Self-Aligning Center Bearing provides better bottom line results and is ideal for the most popular heavy-duty truck and tractor applications.



|                        |                                                         |                  |
|------------------------|---------------------------------------------------------|------------------|
| <b>TDACB2106611XSA</b> | Driveline Series 176N, 17N (Heavy Duty), 18N, 85WB, 92N | <b>\$83.09ea</b> |
|------------------------|---------------------------------------------------------|------------------|

## STEMCO® SEALS

### DISCOVER® XR WHEEL SEAL

Made with a high-quality temperature-resistant material and featuring multi-labyrinth sealing for long-life applications, these high-performance seals have been equipped with patented GlideLock™ technology.

### GUARDIAN® HP HUB SEAL

The Guardian® HP incorporates the best features for preventing the leading causes of seal-life degradation – contamination ingress and heat generation.

### VOYAGER® WHEEL SEAL

The Voyager® wheel seal is designed for regional route trucks, city traffic and coach applications. Rugged design, simple installation and proven performance make Voyager the right choice for everyday stop-and-go traffic environments.



|                   |                                                 |                  |  |
|-------------------|-------------------------------------------------|------------------|--|
| <b>STM3730423</b> | Discover XR Wheel Seal, Trailer Axle            | <b>\$47.19ea</b> |  |
| <b>STM3730443</b> | Discover XR Wheel Seal, Trailer Axle            | <b>\$46.19ea</b> |  |
| <b>STM3730123</b> | Voyager Wheel Seal, Trailer Axle                | <b>\$35.09ea</b> |  |
| <b>STM3730143</b> | Voyager Wheel Seal, Trailer Axle (SET405/413)   | <b>\$34.89ea</b> |  |
| <b>STM3830136</b> | Voyager Wheel Seal, Steer Axle (SET413/406)     | <b>\$34.69ea</b> |  |
| <b>STM3830164</b> | Voyager Wheel Seal, Steer Axle (SET423/424)     | <b>\$47.19ea</b> |  |
| <b>STM3930103</b> | Voyager Wheel Seal, Drive Axle (SET401/425)     | <b>\$45.89ea</b> |  |
| <b>STM3930104</b> | Voyager Wheel Seal, Drive Axle (SET421/426)     | <b>\$49.09ea</b> |  |
| <b>STM3930173</b> | Voyager Wheel Seal, Drive Axle (SET403/401)     | <b>\$46.89ea</b> |  |
| <b>STM3080864</b> | Guardian HP Wheel Seal, Steer Axle (SET423/424) | <b>\$62.59ea</b> |  |
| <b>STM3080836</b> | Guardian HP Wheel Seal, Steer Axle (SET413/406) | <b>\$51.69ea</b> |  |
| <b>STM3070723</b> | Guardian HP Wheel Seal, Trailer Axle (SET415)   | <b>\$44.29ea</b> |  |

## SKF SEALS

### SCOTSEAL CLASSIC

Unitized one piece seal designed to provide excellent sealing and contamination exclusion. A unitized, one piece design offers excellent sealing life in a broad range of operating conditions. This seal uses a sealing element that is assembled between a metal outer and inner case. To extend service life, the three-lip sealing element contains a pre-lubed, spring-loaded primary sealing lip.

### SCOTSEAL PLUSXL

Rubber unitized one piece hand installable seal designed to provide excellent sealing and contamination exclusion. A rubber unitized, one-piece hand installable design seal offers maximum sealing life under virtually all operating conditions. This seal uses an advanced HNRB material that provides high temperature capability, excellent wear resistance, and broad compatibility with synthetic lubricants.



|                         |                        |                   |                                        |                  |
|-------------------------|------------------------|-------------------|----------------------------------------|------------------|
| <b>SCOTSEAL CLASSIC</b> | <b>SCOTSEAL PLUSXL</b> | <b>CHR28758</b>   | Classic, FC Steer Axle                 | <b>\$28.49ea</b> |
|                         |                        | <b>CHR35058</b>   | PlusXL, FF Steer Axle (SET413/406)     | <b>\$40.09ea</b> |
|                         |                        | <b>CHR35066</b>   | Classic, FF Steer Axle (SET413/406)    | <b>\$35.99ea</b> |
|                         |                        | <b>CHR38780</b>   | Classic, Drive Axle                    | <b>\$44.19ea</b> |
|                         |                        | <b>CHR40136</b>   | Classic, Trailer Axle                  | <b>\$33.69ea</b> |
|                         |                        | <b>CHR42623</b>   | Classic, Trailer Axle                  | <b>\$30.19ea</b> |
|                         |                        | <b>CHR42627XT</b> | PlusXL, TP Trailer Axle (SET415)       | <b>\$34.09ea</b> |
|                         |                        | <b>CHR42672</b>   | Classic, Drive Axle (SET421/426)       | <b>\$41.19ea</b> |
|                         |                        | <b>CHR43761XT</b> | Plus XL, FL Steer Axle (SET423/424)    | <b>\$47.79ea</b> |
|                         |                        | <b>CHR43764</b>   | Classic, FL Steer Axle (SET423/424)    | <b>\$42.89ea</b> |
|                         |                        | <b>CHR45099</b>   | Classic, Drive Axle (SET401/425)       | <b>\$43.29ea</b> |
|                         |                        | <b>CHR46300</b>   | PlusXL, TN Trailer Axle                | <b>\$35.59ea</b> |
|                         |                        | <b>CHR46305</b>   | Classic, TN Trailer Axle (SET405/413)  | <b>\$30.49ea</b> |
|                         |                        | <b>CHR47691</b>   | PlusXL, Rear Drive Axle (SET403/401)   | <b>\$49.59ea</b> |
|                         |                        | <b>CHR47697</b>   | Classic, Drive Axle (SET403/401) DRIVE | <b>\$41.29ea</b> |

## FLYWHEELS



Size: 15" / 381mm  
Bore: 10" / 254mm  
Mounting Bolt Holes: 6  
Spring Clutch: 9 Spring Clutch

Ring Gear Size: 20" x 508mm  
Ring Gear Teeth: 118  
Weight: 82lbs / 37.19kg

**RC FLY530GB3145BM** **\$378.99ea**

**FLYWHEEL RESURFACING IS AVAILABLE AT SELECT LOCATIONS**



Size: 15" / 381mm  
Bore: 10" / 254mm  
Mounting Bolt Holes: 6  
Spring Clutch: 9 Spring Clutch

Ring Gear Size: 20" x 508mm  
Ring Gear Teeth: 117  
Weight: 82lbs / 37.19kg

**RC FLY530GB3170** **\$413.99ea**






**5**





# BRAKE COMPONENTS

## NEW BRAKE SHOE KITS

- New Gripper Brake Shoe Kits
- Kits contain two new shoes and hardware kits
- Uses extended wear lining and standard cam



|                      |                                                   |                              |
|----------------------|---------------------------------------------------|------------------------------|
| <b>MIDGR4515QJ</b>   | 16.50" x 7", 20k lb, for Meritor Q current design | <b>\$95.99<sup>ea</sup></b>  |
| <b>MIDGR4707QJ</b>   | 16.50" x 7", 20k lb, for Meritor Q Plus           | <b>\$91.89<sup>ea</sup></b>  |
| <b>MIDGG4707QJ</b>   | 16.50" x 7", 23k lb, for Meritor Q Plus           | <b>\$98.99<sup>ea</sup></b>  |
| <b>MIDGR4709ES2J</b> | 16.50" x 7", 20k lb, for Eaton ESII               | <b>\$97.99<sup>ea</sup></b>  |
| <b>MIDGG4709ES2J</b> | 16.50" x 7", 23k lb, for Eaton ESII               | <b>\$104.99<sup>ea</sup></b> |
| <b>MIDGG4711QJ</b>   | 16.50" x 8.625", 23k lb, for Meritor Q Plus       | <b>\$139.99<sup>ea</sup></b> |
| <b>MIDGG4715QJ</b>   | 16.50" x 6", 23k lb, for Meritor Q Plus           | <b>\$137.99<sup>ea</sup></b> |
| <b>MIDGR4719ES2J</b> | 16.50" x 5", 20k lb, for Eaton ESII               | <b>\$108.99<sup>ea</sup></b> |
| <b>MIDGR4720QJ</b>   | 16.50" x 5", 20k lb, for Meritor Q Plus           | <b>\$123.99<sup>ea</sup></b> |

## REMAN BRAKE SHOE KITS

- Provides good value and consistently stable and reliable brake performance



|                       |                                                   |                             |
|-----------------------|---------------------------------------------------|-----------------------------|
| <b>TUFRK6204515Q</b>  | 16.50" x 7", 20k lb, for Meritor Q current design | <b>\$48.99<sup>ea</sup></b> |
| <b>TUFRK6304515Q</b>  | 16.50" x 7", 23k lb, for Meritor Q current design | <b>\$46.59<sup>ea</sup></b> |
| <b>TUFRK6204707Q</b>  | 16.50" x 7", 20k lb, for Meritor Q Plus           | <b>\$47.59<sup>ea</sup></b> |
| <b>TUFRK6304707Q</b>  | 16.50" x 7", 23k lb, for Meritor Q Plus           | <b>\$47.29<sup>ea</sup></b> |
| <b>TUFRK6204709E2</b> | 16.50" x 7", 20k lb, for Eaton ESII               | <b>\$47.49<sup>ea</sup></b> |
| <b>TUFRK6304709E2</b> | 16.50" x 7", 23k lb, for Eaton ESII               | <b>\$45.09<sup>ea</sup></b> |

## REMAN BRAKE SHOE KITS

- Features premium Abex lining and a heavy-duty hardware kit



|                      |                                                                     |                              |
|----------------------|---------------------------------------------------------------------|------------------------------|
| <b>ABRKEN1443E</b>   | 15" x 4", 20k lb, for Eaton, Premium OE Grade                       | <b>\$61.79<sup>ea</sup></b>  |
| <b>ABRKEX1443E</b>   | 15" x 4", 23k lb, for Eaton, Supreme OE Grade                       | <b>\$65.19<sup>ea</sup></b>  |
| <b>ABRKEXP4311E</b>  | 16.5" x 7", 23k lb, for Eaton, Supreme OE Grade                     | <b>\$81.59<sup>ea</sup></b>  |
| <b>ABRKANP4515Q</b>  | 16.50" x 7", 20k lb, for Meritor Q current design, Premium Grade    | <b>\$57.29<sup>ea</sup></b>  |
| <b>ABRKEXP4515Q</b>  | 16.50" x 7", 23k lb, for Meritor Q current design, Supreme OE Grade | <b>\$76.79<sup>ea</sup></b>  |
| <b>ABRKENP4515Q</b>  | 16.50" x 7", 23k lb, for Meritor Q current design, Premium OE Grade | <b>\$67.79<sup>ea</sup></b>  |
| <b>ABRKEXP4515X3</b> | 16.50" x 7", 23k lb, for Fruehauf, Supreme OE Grade                 | <b>\$80.39<sup>ea</sup></b>  |
| <b>ABRKAXP4515X3</b> | 16.50" x 7", 23k lb, for Fruehauf, Supreme Grade                    | <b>\$68.49<sup>ea</sup></b>  |
| <b>ABRKENP4702Q</b>  | 15" x 4", 20k lb, for Meritor, Premium OE Grade                     | <b>\$62.79<sup>ea</sup></b>  |
| <b>ABRKEXP4702Q</b>  | 15" x 4", 23k lb, for Meritor, Supreme OE Grade                     | <b>\$69.59<sup>ea</sup></b>  |
| <b>ABRKANP4707Q</b>  | 16.50" x 7", 20k lb, for Meritor Q Plus, Premium Grade              | <b>\$61.59<sup>ea</sup></b>  |
| <b>ABRKAXP4707Q</b>  | 16.50" x 7", 23k lb, for Meritor Q Plus, Supreme Grade              | <b>\$69.09<sup>ea</sup></b>  |
| <b>ABRKENP4707Q</b>  | 16.50" x 7", 20k lb, for Meritor Q Plus, Premium OE Grade           | <b>\$70.69<sup>ea</sup></b>  |
| <b>ABRKEXP4707Q</b>  | 16.50" x 7", 23k lb, for Meritor Q Plus, Supreme OE Grade           | <b>\$82.19<sup>ea</sup></b>  |
| <b>ABRKAX4709E2</b>  | 16.50" x 7", 23k lb, for Eaton ESII, Supreme Grade                  | <b>\$70.89<sup>ea</sup></b>  |
| <b>ABRKEX4709E2</b>  | 16.50" x 7", 23k lb, for Eaton ESII, Supreme OE Grade               | <b>\$81.29<sup>ea</sup></b>  |
| <b>ABRKEN4709E2</b>  | 16.50" x 7", 20k lb, for Eaton ESII, Premium OE Grade               | <b>\$76.49<sup>ea</sup></b>  |
| <b>ABRKEN4711Q</b>   | 16.50" x 8.625", 20k lb, for Meritor, Premium OE Grade              | <b>\$110.39<sup>ea</sup></b> |
| <b>ABRKEX4711Q</b>   | 16.50" x 8.625", 23k lb, for Meritor, Supreme OE Grade              | <b>\$109.59<sup>ea</sup></b> |
| <b>ABRKEX4715QM</b>  | 16.50" x 6", 23k lb, for Meritor, Supreme OE Grade                  | <b>\$89.69<sup>ea</sup></b>  |
| <b>ABRKEN4719E2</b>  | 16.50" x 5", 20k lb, for Eaton, Premium OE Grade                    | <b>\$72.69<sup>ea</sup></b>  |
| <b>ABRKEN4720QM</b>  | 16.50" x 5", 20k lb, for Meritor, Premium OE Grade                  | <b>\$84.69<sup>ea</sup></b>  |
| <b>ABRKEX4725E2</b>  | 16.50" x 6", 23k lb, for Eaton ES, Supreme OE Grade                 | <b>\$99.79<sup>ea</sup></b>  |
| <b>ABRKEN4726E2</b>  | 16.50" x 8.625", 20k lb, for Eaton ESII, Premium OE Grade           | <b>\$102.39<sup>ea</sup></b> |
| <b>ABRKEX4726E2</b>  | 16.50" x 8.625", 23k lb, for Eaton ESII, Supreme OE Grade           | <b>\$110.99<sup>ea</sup></b> |

## REMAN BRAKE SHOE KITS

- Lined shoe kits include hardware
- Shoes feature Platinum Shield III coating to prevent rust-jacking



|                        |                                                                         |                              |
|------------------------|-------------------------------------------------------------------------|------------------------------|
| <b>TDAXK3124524QR</b>  | 16.50" x 5", 23k lb, for Meritor Q, OEM Grade                           | <b>\$85.59<sup>ea</sup></b>  |
| <b>TDAXK2124702QP</b>  | 15" x 4", 21k lb, for Meritor Q Plus, OEM Grade                         | <b>\$61.09<sup>ea</sup></b>  |
| <b>TDAXK3124702QP</b>  | 15" x 4", 23k lb, for Meritor Q Plus, OEM Grade                         | <b>\$71.09<sup>ea</sup></b>  |
| <b>TDAXKEG4707QP</b>   | 16.50" x 7", 20k lb, for Meritor Q Plus, Economy Grade                  | <b>\$54.79<sup>ea</sup></b>  |
| <b>TDAXKEG24707QP</b>  | 16.50" x 7", 23k lb, for Meritor Q Plus, Economy Grade                  | <b>\$60.09<sup>ea</sup></b>  |
| <b>TDAXK2124707QP</b>  | 16.50" x 7", 21k lb, for Meritor Q Plus, OEM Grade                      | <b>\$71.49<sup>ea</sup></b>  |
| <b>TDAXK3124707QP</b>  | 16.50" x 7", 23k lb, for Meritor Q Plus, OEM Grade                      | <b>\$79.69<sup>ea</sup></b>  |
| <b>TDAXK20014707QP</b> | 16.50" x 7", 20k lb, for Meritor Q Plus, OEM Grade <b>RSD</b>           | <b>\$80.69<sup>ea</sup></b>  |
| <b>TDAXK23014707QP</b> | 16.50" x 7", 23k -26k lb, for Meritor Q Plus, OEM Grade <b>RSD</b>      | <b>\$82.19<sup>ea</sup></b>  |
| <b>TDAXK3124707QPR</b> | 16.50" x 7", 23k lb, for Meritor Q Plus, OEM Grade                      | <b>\$95.69<sup>ea</sup></b>  |
| <b>TDAXKEG24709E2</b>  | 16.50" x 7", 23k lb, for Eaton ESII, Economy Grade                      | <b>\$61.39<sup>ea</sup></b>  |
| <b>TDAXK2124709E2</b>  | 16.50" x 7", 21k lb, for Eaton ESII, OEM Grade                          | <b>\$74.29<sup>ea</sup></b>  |
| <b>TDAXK3124709E2</b>  | 16.50" x 7", 23k lb, for Eaton ESII, OEM Grade                          | <b>\$85.29<sup>ea</sup></b>  |
| <b>TDAXK20014709E2</b> | 16.50" x 7", 20k lb, for Eaton ESII, OEM Grade <b>RSD</b>               | <b>\$85.99<sup>ea</sup></b>  |
| <b>TDAXK23014709E2</b> | 16.50" x 7", 23k - 26k lb, for Eaton ESII, OEM Grade <b>RSD</b>         | <b>\$94.59<sup>ea</sup></b>  |
| <b>TDAXK3124711QP</b>  | 16.50" x 8.625", 23k lb, for Meritor Q Plus, OEM Grade                  | <b>\$123.69<sup>ea</sup></b> |
| <b>TDAXK3124515Q</b>   | 16.50" x 7", 23k lb, for Meritor Q, OEM Grade                           | <b>\$74.49<sup>ea</sup></b>  |
| <b>TDAXK3124715QP</b>  | 16.50" x 6", 23k lb, for Meritor Q Plus, OEM Grade                      | <b>\$97.59<sup>ea</sup></b>  |
| <b>TDAXK3124718QP</b>  | 16.50" x 8", 23k lb, for Meritor Q Plus, OEM Grade                      | <b>\$87.29<sup>ea</sup></b>  |
| <b>TDAXK2124719E</b>   | 16.50" x 5", 21k lb, for Eaton, OEM Grade                               | <b>\$95.99<sup>ea</sup></b>  |
| <b>TDAXK20014719E</b>  | 16.50" x 5", 20k lb, for Eaton, OEM Grade <b>RSD</b>                    | <b>\$111.79<sup>ea</sup></b> |
| <b>TDAXK12014720QP</b> | 16.50" x 5", 12.5k - 13.2k lb, for Meritor Q Plus, OEM Grade <b>RSD</b> | <b>\$86.09<sup>ea</sup></b>  |
| <b>TDAXK3124720QP</b>  | 16.50" x 5", 23k lb, for Meritor Q Plus, OEM Grade                      | <b>\$108.19<sup>ea</sup></b> |
| <b>TDAXK3124725E</b>   | 16.50" x 6", 23k lb, for Eaton, OEM Grade                               | <b>\$121.79<sup>ea</sup></b> |
| <b>TDAXK3124726E</b>   | 16.50" x 8.625", 23k lb, for Eaton, OEM Grade                           | <b>\$140.49<sup>ea</sup></b> |



TRUCK CENTERS

**\$145** BRAKE INSPECTION SPECIAL

Includes up to 3 axles (steer, front drive and rear drive). OEM-certified and trained technicians will:

- Inspect condition of brake shoes and drums, pads or rotors, measuring and reporting remaining life
- Verify and record brake stroke
- Inspect brake chambers for proper mounting
- Inspect condition of air brake hoses and air lines
- Test air system warning devices
- Check for wheel seal leaks
- Inspect trailer hoses and gladhands

Available at any one of our 16 service locations!

Schedule yours today!



Offer Disclaimer: Brake inspection for up to 3 axles is \$145. Any repairs or parts recommended or needed based on the inspection are additional. Offer valid through 12/31/25.

**OFFER VALID**  
through December 31, 2025

## STEELITE X30 BRAKE DRUMS



**MERITOR**

**In Stock!**

Premium lightweight drums, for unsurpassed performance on the road.

- One-piece roll-formed steel shell design uses a patented process
- Exclusive SpinCast process fuses a gray iron liner to the outer shell, for optimum stopping performance
- No-weld seams mean extra strength and durability
- No welded-on balance weights due to patented machine-to-balance process
- Designed for tractor and trailer applications across standard and high duty cycles
- Designed to prevent insulating corrosion buildup

### TDA53123537002

STEELite X30 Brake Drum  
Brake Size: 16.50" x 7.00"  
Drum Mount: Outboard  
Finished Weight: 92.48 lbs  
Axle Capacity: 23,000 lbs  
Number of Bolt Holes: 10  
Wheel Type: Disc  
Brake Surface Width: 7.87"



### TDA53123544002

STEELite X30 Brake Drum  
Brake Size: 16.50" x 8.62"  
Drum Mount: Outboard  
Finished Weight: 103.32 lbs  
Axle Capacity: 23,000 lbs  
Number of Bolt Holes: 10  
Wheel Type: Disc  
Brake Surface Width: 8.95"



## SLACK ADJUSTERS



| PART NUMBER       | ARM LENGTH       | # SPLINES | SPLINE DIAMETER | TYPE      | PRICE                        |
|-------------------|------------------|-----------|-----------------|-----------|------------------------------|
| <b>BW K043197</b> | 5.5"             | 28        | 1.50"           | Automatic | <b>\$109.19<sup>ea</sup></b> |
| <b>BW K041877</b> | 6.0"             | 28        | 1.50"           | Automatic | <b>\$108.39<sup>ea</sup></b> |
| <b>BW 278323N</b> | 5.0", 6.0", 7.0" | 10        | 1.50"           | Manual    | <b>\$26.69<sup>ea</sup></b>  |
| <b>BW 288753N</b> | 5.5", 6.5"       | 28        | 1.50"           | Manual    | <b>\$27.19<sup>ea</sup></b>  |

## AUTOMATIC SLACK ADJUSTERS

- Stroke sensing automatic slack adjusters
- Type 1 and Type 2 indicate the location of the pawl assembly on the slack adjuster



**MERITOR**

| PART NUMBER       | ARM LENGTH | # SPLINES | SPLINE DIAMETER | POSITION / TYPE | PRICE                        |
|-------------------|------------|-----------|-----------------|-----------------|------------------------------|
| <b>TDAR802648</b> | 5.5"       | 28        | 1.50"           | Type 1          | <b>\$134.39<sup>ea</sup></b> |
| <b>TDAR803024</b> | 5.5"       | 28        | 1.50"           | Type 1          | <b>\$97.59<sup>ea</sup></b>  |
| <b>TDAR803048</b> | 5.5"       | 28        | 1.50"           | Type 1          | <b>\$96.79<sup>ea</sup></b>  |
| <b>TDAR803049</b> | 5.5"       | 28        | 1.50"           | Type 2          | <b>\$96.79<sup>ea</sup></b>  |
| <b>TDAR803054</b> | 6.0"       | 28        | 1.50"           | Type 1          | <b>\$94.19<sup>ea</sup></b>  |
| <b>TDAM807016</b> | 6.0"       | 28        | 1.50"           | Drive (Mack)    | <b>\$120.99<sup>ea</sup></b> |

## AUTOMATIC BRAKE ADJUSTERS

- Compatible with all major brand clevises
- Industry's longest warranty - 6-Year / 1,000,000 mile warranty (on-highway)



| PART NUMBER        | ARM LENGTH | # SPLINES | SPLINE DIAMETER | POSITION                      | PRICE                        |
|--------------------|------------|-----------|-----------------|-------------------------------|------------------------------|
| <b>MID40010011</b> | 5.5"       | 28        | 1.50"           | All                           | <b>\$134.39<sup>ea</sup></b> |
| <b>MID40010013</b> | 5.5"       | 10        | 1.25"           | Steer                         | <b>\$134.39<sup>ea</sup></b> |
| <b>MID40010070</b> | 5.5"       | 28        | 1.50"           | Steer                         | <b>\$134.39<sup>ea</sup></b> |
| <b>MID40010121</b> | 5.5"       | 10        | 1.50"           | All                           | <b>\$137.29<sup>ea</sup></b> |
| <b>MID40010140</b> | 5.0", 6.0" | 28        | 1.50"           | Drive                         | <b>\$134.39<sup>ea</sup></b> |
| <b>MID40010141</b> | 5.5"       | 28        | 1.50"           | Drive                         | <b>\$127.89<sup>ea</sup></b> |
| <b>MID40010143</b> | 5.5"       | 10        | 1.50"           | Drive                         | <b>\$134.39<sup>ea</sup></b> |
| <b>MID40010144</b> | 6.0"       | 28        | 1.50"           | Drive (Mack)                  | <b>\$130.49<sup>ea</sup></b> |
| <b>MID40010155</b> | 5.5"       | 10        | 1.50"           | Drive (Kenworth)              | <b>\$134.49<sup>ea</sup></b> |
| <b>MID40010180</b> | 5.5"       | 28        | 1.50"           | Drive                         | <b>\$134.39<sup>ea</sup></b> |
| <b>MID40010182</b> | 6.0"       | 28        | 1.50"           | All                           | <b>\$134.39<sup>ea</sup></b> |
| <b>MID40010211</b> | 5.5"       | 28        | 1.50"           | Trailer, 16.5"                | <b>\$134.09<sup>ea</sup></b> |
| <b>MID40010212</b> | 6.0"       | 28        | 1.50"           | Trailer, 16.5"                | <b>\$134.09<sup>ea</sup></b> |
| <b>MID40010305</b> | 6.0"       | 28        | 1.50"           | Trailer, 12.25"               | <b>\$134.09<sup>ea</sup></b> |
| <b>MID40020211</b> | 5.5"       | 28        | 1.50"           | Trailer, 16.5" (Self-Setting) | <b>\$139.59<sup>ea</sup></b> |
| <b>MID40020212</b> | 6.0"       | 28        | 1.50"           | Trailer, 16.5" (Self-Setting) | <b>\$139.59<sup>ea</sup></b> |
| <b>MID40020231</b> | 5.5"       | 28        | 1.50"           | Drive (Self-Setting)          | <b>\$139.89<sup>ea</sup></b> |

## BRAKE SAFETY MATTERS

Heavy-duty trucks depend on properly functioning brakes to deliver safe, reliable performance on the road. Over time, brake shoes wear down and slack adjusters can fall out of adjustment, increasing stopping distances and putting unnecessary strain on other parts of the braking system. These issues don't just reduce braking efficiency - they also create uneven braking between axles and wheels, which can lead to pulling, skidding, or even loss of control under hard stops.

Replacing worn brake shoes and keeping slack adjusters in top condition helps maintain consistent braking, extends the life of related components, and keeps vehicles compliant with safety regulations. More importantly, it reduces the risk of costly breakdowns and protects drivers, trucks, and other motorists. Regular inspections and timely replacement of brake components aren't just maintenance best practices - they're critical steps in keeping trucks safe and road-ready.





# BRAKE COMPONENTS



## BRAKE DRUMS

The Webb Vortex Unlimited features advanced brake drum technology to run 10% cooler than standard brake drums. The patented design employs external cooling ribs that conduct heat away from the brake surface for superior heat dissipation. A patented wear indicator gives you a quick visual reference to take the guesswork out of repairs to save on maintenance cost.

**WEBB**  
**VORTEX**



**In Stock!**

### WEB77807BW

Vortex® Unlimited Brake Drum  
Brake Size: 16.50" x 7.00"  
Drum Mount: Outboard  
Finished Weight: 109 lbs  
Max. Wear Diameter: 16.62"  
Number of Bolt Holes: 10  
Wheel Type: Disc  
Brake Surface Flat: 7.54"



### WEB77808BW

Vortex® Unlimited Brake Drum  
Brake Size: 16.50" x 8.00"  
Drum Mount: Outboard  
Finished Weight: 118 lbs  
Max. Wear Diameter: 16.62"  
Number of Bolt Holes: 10  
Wheel Type: Disc  
Brake Surface Flat: 8.66"



### WEB77809BW

Vortex® Unlimited Brake Drum  
Brake Size: 16.50" x 8.62"  
Drum Mount: Outboard  
Finished Weight: 120 lbs  
Max. Wear Diameter: 16.62"  
Number of Bolt Holes: 10  
Wheel Type: Disc  
Brake Surface Flat: 9.05"



### WEB78400B

Vortex® Unlimited Brake Drum  
Brake Size: 16.50" x 6.00"  
Drum Mount: Outboard  
Finished Weight: 113 lbs  
Max. Wear Diameter: 16.62"  
Number of Bolt Holes: 10  
Wheel Type: Disc  
Brake Surface Flat: 6.56"



Designed for standard-duty drive and trailer over-the-road applications, the Webb 56864B is a great solution to handle the higher heat caused by reduced air flow from trailer skirts.

**WEBB**

**In Stock!**

More robust than the 56864 brake drum, the Webb 66864 is the proven industry standard for vocational, or heavy-duty drive and trailer applications.

### WEB56864B

Brake Drum  
Brake Size: 16.50" x 7.00"  
Drum Mount: Outboard  
Finished Weight: 104 lbs  
Max. Wear Diameter: 16.62"  
Number of Bolt Holes: 10  
Wheel Type: Disc  
Brake Surface Flat: 7.54"



### WEB66864B

Standard Brake Drum  
Brake Size: 16.50" x 7.00"  
Drum Mount: Outboard  
Finished Weight: 108 lbs  
Max. Wear Diameter: 16.62"  
Number of Bolt Holes: 10  
Wheel Type: Disc  
Brake Surface Flat: 7.54"



## BRAKE CHAMBERS

### TR CHAMBERS

- Tamper Resistant design
- Molded nitrile rubber push-rod air seal
- Externally stored release bolt
- Heavy-duty nylon reinforced diaphragms
- Epoxy-coated return spring and weatherseal plug
- Epoxy-coated head, non-pressure chamber and lower push-rod assembly

**MODEL:** TR3030  
**STROKE:** 2.50" / Standard  
**WEIGHT:** 19.4 lbs

**MGM3430051X \$100.99ea**

**MODEL:** TR3636  
**STROKE:** 3.00" / Standard  
**WEIGHT:** 30.8 lbs

**MGM3437051 \$253.59ea**

### PIGGYBACK PLUS KIT

**MODEL:** TR3030  
**STROKE:** 2.50" / Long  
**WEIGHT:** 11.3 lbs

**MGM3430008X \$89.69ea**

### INTRAAX® / VANTRAAX®

**MODEL:** TR3030  
**STROKE:** 2.50" / Standard  
**WEIGHT:** 19.4 lbs

**MGM3430551X \$121.09ea**



**MGM Brakes**  
A Division of Indian Head Industries, Inc.

REPLACEMENT  
COMPONENTS ARE  
ALSO AVAILABLE

### TR-LP3HD CHAMBER

- Tamper Resistant design
- Externally stored release bolt
- Stroke alert
- Epoxy-coated head, non-pressure chamber and lower push-rod assembly
- Heavy-duty nylon reinforced diaphragms
- Epoxy-coated return spring and weatherseal plug

**MODEL:** TR3030LPHD  
**STROKE:** 3.00" / Long  
**WEIGHT:** 20.4 lbs

**MGM3232951X \$173.49ea**

### SERVICE CHAMBERS

- Formed steel pressure cap
- Heavy gauge formed steel mounting base
- Heavy-duty nylon reinforced diaphragms
- Mounting studs (grade 5) heat treated and plated

- Low-profile design
- Suitable for S-cam and disc brake applications
- Epoxy coated for total corrosion protection and reliability

**MODEL:** C20  
**STROKE:** 2.25" / Standard  
**WEIGHT:** 8.02 lbs

**MGM1420001 \$73.59ea**

**MODEL:** C30  
**STROKE:** 2.50" / Standard  
**WEIGHT:** 10.7 lbs

**MGM1430001 \$74.39ea**

**MODEL:** CS20L  
**STROKE:** 2.50" / Sealed Long  
**WEIGHT:** 6.8 lbs

**MGM1621901X \$77.09ea**

**MODEL:** C24L  
**STROKE:** 2.50" / Long  
**WEIGHT:** 9.0 lbs

**MGM1427001 \$71.99ea**

**MODEL:** C24L  
**STROKE:** 2.50" / Long  
**WEIGHT:** 9.0 lbs

**MGM1427801 \$80.19ea**

**MODEL:** C24L3  
**STROKE:** 3.00" / Long  
**WEIGHT:** 9.72 lbs

**MGM1428901 \$88.09ea**

### TR-LP3 CHAMBERS

- Tamper Resistant design
- Molded nitrile rubber push-rod air seal
- Externally stored release bolt
- Heavy-duty nylon reinforced diaphragms

- Epoxy-coated return spring and weatherseal plug
- Epoxy-coated head, non-pressure chamber and lower push-rod assembly

**MODEL:** TR3030LP3  
**STROKE:** 3.00" / Long  
**WEIGHT:** 20.1 lbs

**MGM3230051X \$120.69ea**

with Welded Yoke  
**MODEL:** TR3030LP3  
**STROKE:** 3.00" / Long  
**WEIGHT:** 20.1 lbs

**MGM3230957 \$177.09ea**

### INTRAAX® / VANTRAAX®

**MODEL:** TR3030LP3  
**STROKE:** 3.00" / Long  
**WEIGHT:** 20.1 lbs

**MGM3230551X \$143.09ea**

with Welded Yoke  
**MODEL:** TR3030LP3  
**STROKE:** 3.00" / Long  
**WEIGHT:** 20.1 lbs

**MGM3230951X \$145.59ea**

### PIGGYBACK PLUS KIT LONG STROKE

**MODEL:** TR3030LP3  
**STROKE:** 3.00" / Long  
**WEIGHT:** 11.5 lbs

**MGM3230008X \$104.59ea**

### TR-T CHAMBERS

- Tamper Resistant design
- External breather tube seals out contamination
- 360 Aluminum center case

- Center hole shield prevents entry of contaminants
- Heavy-duty steel non-pressure chamber

**MODEL:** TR3030T  
**STROKE:** 2.50" / Standard  
**WEIGHT:** 19.4 lbs

**MGM3431951X \$147.09ea**

**MODEL:** TR3030T  
**STROKE:** 2.50" / Standard  
**WEIGHT:** 19.4 lbs

**MGM3431952X \$149.59ea**

**MODEL:** TR3030T  
**STROKE:** 2.50" / Standard  
**WEIGHT:** 19.4 lbs

**MGM3431051X \$129.49ea**

Neoprene Diaphragm with Welded Yoke  
**MODEL:** TR3030TS  
**STROKE:** 2.50" / Standard  
**WEIGHT:** 19.4 lbs

**MGM3531953 \$194.29ea**

Neoprene Diaphragm  
**MODEL:** TR3030TS  
**STROKE:** 2.50" / Standard  
**WEIGHT:** 19.4 lbs

**MGM3532851X \$288.09ea**

CHAMBERS FOR  
SEVERE SERVICE  
APPLICATIONS

## AIR DISC BRAKE

### PADS

Maximum braking power, shorter stopping distances, and improved safety. Longer service intervals and faster maintenance that helps lower costs and downtime. It's easy to see why air disc brakes continue to grow in popularity. Bendix® pad kits include OEM hardware with B-level copper compliant friction.

### BW K297277

ADB22X Extended Life Brake Pad Kit



**Bendix**

**\$187.99ea**

### ROTORS

Meets or exceeds Bendix heat crack testing requirements. Easy identification with "Bendix" engraved on the side.

### BW K038573

138mm Offset, 430mm Outer Diameter, 249mm Inner Diameter, U-Shaped



**\$322.39ea**

### BW 802569

No Offset, 430mm Outer Diameter, 258mm Inner Diameter, HD Splined Disc Kit

**\$303.29ea**

## DO YOU NEED LONG STROKE OR STANDARD STROKE BRAKE CHAMBERS?

A standard (or regular) stroke brake chamber will have round brake hose connection ports, whereas a long stroke chamber will have square connection ports, as illustrated below.



LONG STROKE



STANDARD STROKE

## BRAKE CHAMBERS



**MODEL PS-ESL**  
without Clevis  
**MODEL:** 3030  
**STROKE:** 3.00" / Long Stroke  
**PORTS:** Square  
**WEIGHT:** 20.10 lbs  
**RC SB3030LS \$68.89ea**



**MODEL PS**  
without Clevis  
**MODEL:** 3030  
**STROKE:** 2.50" / Standard Stroke  
**PORTS:** Round  
**WEIGHT:** 20.10 lbs  
**RC SB3030STD \$59.09ea**



## BRAKE CHAMBERS

### ENDURASURE® SERIES

- Threaded clevis
- Operating temperature range: -40°F to 175°F



**TYPE: 30**  
**STROKE:** 2.50" / Standard  
**PUSH ROD LENGTH:** 7.80"  
**BW NT3030STD78TC \$74.29ea**




**TYPE: 30**  
**STROKE:** 3.00" / Long  
**PUSH ROD LENGTH:** 8.00"  
**BW NT3030ELS80TC \$90.09ea**



**TYPE: 30**  
**STROKE:** 3.00" / Long  
**PUSH ROD LENGTH:** 2.25"  
**BW NT3030ELSWC \$86.39ea**

### SERVICE CHAMBERS

- Threaded clevis
- Operating temperature range: -40°F to 175°F



**TYPE: 20**  
**STROKE:** 2.50" / Standard  
**PUSH ROD LENGTH:** 8.20"  
**BW 800824 \$41.99ea**



**TYPE: 24**  
**STROKE:** 2.50" / Standard  
**PUSH ROD LENGTH:** 9.56"  
**BW 800825 \$33.39ea**



**TYPE: 30**  
**STROKE:** 2.50" / Standard  
**PUSH ROD LENGTH:** 9.36"  
**BW 5007121N \$33.49ea**

## BRAKE CHAMBERS



### GOLD SEAL

- Superior power spring technology
- Double o-ring centerseal
- Rugged service housing
- Orange Alert® stroke indicator

**MODEL:** 3030  
**STROKE:** 2.50" / Standard  
**WEIGHT:** 20.3 lbs

**MIDGC3030 \$85.99ea**



with Welded Clevis  
**MODEL:** 3030  
**STROKE:** 2.50" / Standard  
**WEIGHT:** 21.3 lbs

**MIDGC3030CW \$94.29ea**



with Welded Clevis  
**MODEL:** 3030  
**STROKE:** 3.00" / Long  
**WEIGHT:** 21.9 lbs

**MIDGC3030LCW \$104.69ea**



### GOLDSEAL+

- Increased spring housing height
- Aluminum center body
- Patented piloted dust shield
- 4-Year warranty

With Welded Clevis  
**MODEL:** 3030  
**STROKE:** 2.50" / Standard

**MIDGC3030S7CW \$94.29ea**

### SERVICE CHAMBERS

- Steel pressure housing
- Powder coated for corrosion resistance
- Orange Alert® stroke indicator



with Welded Clevis  
**TYPE: 24**  
**STROKE:** 3.00" / Extra Long  
**WEIGHT:** 8.4 lbs

**MIDSC24XLCW \$55.79ea**



with Welded Clevis  
**TYPE: 30**  
**STROKE:** 3.00" / Long  
**WEIGHT:** 9.7 lbs

**MIDSC30LCW \$57.19ea**





# FORWARD LIGHTING

## LED HEADLIGHTS

- Metallized reflector optics
- H4, 3-blade wiring connector
- Provides a brighter, crisper and whiter light output
- Military grade, die-cast aluminum housing and non-yellowing, polycarbonate lens

**4" X 6" LOW BEAM**  
Drop-in replacement for #2A1, 4652, H4652, H4656, H4662, H4739 and H5062  
**TL 37640CP**

**4" X 6" HIGH BEAM**  
Drop-in replacement for #1A1, 4651, H4651 and H5051  
**TL 37645CP**

**7" ROUND**  
Drop-in replacement for #6014, 6015, H6024 and Par 56  
**TL 37270C3**

**5" X 7" HIGH / LOW**  
Drop-in replacement for #6052, 6053, H6054 and HP6054  
**TL 37450CP**



**TL 37640CP** 4" x 6" Low Beam **\$156.69<sub>ea</sub>**  
**TL 37645CP** 4" x 6" High Beam **\$143.39<sub>ea</sub>**  
**TL 37270C3** 7" Round **\$190.09<sub>ea</sub>**  
**TL 37450CP** 5" x 7" High / Low **\$180.59<sub>ea</sub>**

## MACK PINNACLE LED HEADLIGHTS

Plug-and-play installation makes it easy to upgrade to LED headlights with convenient pigtail (TL 83328 - sold separately).

**FITS MACK PINNACLE**  
CHU 2006 - 2011  
CH 2000 - 2005  
RD 1990 - 1999



**TL 27656CA** LED Headlight Assembly **\$288.09<sub>ea</sub>**  
**TL 07564** LED Turn Signal Assembly **\$120.89<sub>ea</sub>**

**ONLY ONE PART NUMBER FOR BOTH DRIVER AND PASSENGER SIDE ASSEMBLIES FOR HEADLIGHT AND TURN SIGNAL**

## HEADLIGHT CAPSULES

### STANDARD HALOGEN CAPSULES

Designed to meet or exceed original equipment standards, count on Wagner® Halogen Capsules for superior performance. Equipped with high-grade filament and glass, Wagner Halogen Capsules deliver brighter, whiter light than incandescent lighting.

**THESE BULBS ARE SOLD INDIVIDUALLY**

**WAGBP9003** 9003 **\$3.29<sub>bulb</sub>**  
**WAGBP9004** 9004 **\$3.09<sub>bulb</sub>**  
**WAGBP9005** 9005 **\$3.19<sub>bulb</sub>**  
**WAG9006** 9006 **\$4.29<sub>bulb</sub>**  
**WAG9007** 9007 **\$2.99<sub>bulb</sub>**  
**WAG9008** 9008 **\$7.19<sub>bulb</sub>**  
**WAGBP1255/H1** H1 **\$5.49<sub>bulb</sub>**  
**WAGBP1255/H3** H3 **\$3.39<sub>bulb</sub>**  
**WAGBP1255/H7** H7 **\$3.79<sub>bulb</sub>**  
**WAGBP1255/H11** H11 **\$5.49<sub>bulb</sub>**

### BRITELITE® CAPSULES

This vivid and bright lighting solution creates a beam pattern that is up to 120 feet longer and up to 80% brighter than Wagner® standard halogen headlamps. Wagner BriteLite® maximizes your viewing area for safer and easier night driving.

**THESE BULBS ARE SOLD AS A PAIR**

**WAGBP9003BLX2** 9003 **\$19.69<sub>pair</sub>**  
**WAGBP9005BLX2** 9005 **\$19.69<sub>pair</sub>**  
**WAGBP9006BLX2** 9006 **\$19.69<sub>pair</sub>**  
**WAGBP9007BLX2** 9007 **\$19.69<sub>pair</sub>**  
**WAGBPH11BLX2** H11 **\$23.59<sub>pair</sub>**



## WIRING HARNESSES

- 9" lead wire
- For halogen headlamp assembly with 3 prongs
- For 9004, 9007 bulb

**GRO841039** **\$2.99<sub>ea</sub>**

- 9" lead wire
- For halogen headlamp assembly with 2 prongs
- For 9005 bulb

**GRO841037** **\$2.69<sub>ea</sub>**

- 9" lead wire
- For halogen headlamp assembly with 2 prongs
- For 9006 bulb

**GRO841038** **\$2.99<sub>ea</sub>**

- Fits bulbs 880, 881, 884, 885, 886, 889, 890, 892, 893, 899
- Works with H11 bulb

**GRO841072** **\$4.79<sub>ea</sub>**

- 12" lead wire
- For 2 or 3 terminal sealed beam headlights or terminal flashers

**GRO841006** **\$1.89<sub>ea</sub>**

- 12" lead wire
- Connects 4 to 5 terminal relays or flashers

**GRO841041** **\$4.49<sub>ea</sub>**

- 12" lead wire
- For stop, turn, park lamps
- Fits bulb sizes 3057 and 3157

**GRO841049** **\$4.79<sub>ea</sub>**

- 12" lead wire
- For bulb sizes 63, 67, 81, 89, 93, 97, 1003, 1141, 1156

**GRO841003** **\$2.49<sub>ea</sub>**

- 10" lead wire
- Dual function
- Standard 4-pin hard shell connector

**GRO66861** **\$4.79<sub>ea</sub>**

- 6" lead wire
- Ring terminal ground, blunt-cut wire
- For sealed marker lights

**GRO67050** **\$1.49<sub>ea</sub>**

- 13" lead wire
- Universal 3-wire 90° plug-in for female pin lights

**GRO67090** **\$1.59<sub>ea</sub>**

## STOP / TURN / TAIL LIGHTS

### 4" ROUND

- SuperNova®**
- Red lens
- 10-diode pattern
- Black housing

**GRO53252**



Male Pin

**\$22.59<sub>ea</sub>**

**GRO53552** Hardshell Connector **\$22.69<sub>ea</sub>**

- SuperNova®**
- Red lens
- Stainless steel theft-resistant flange

**GRO53302**



Male Pin

**\$28.99<sub>ea</sub>**

- SuperNova® NexGen™**
- Red acrylic lens
- Resembles incandescent lights to alleviate theft concerns

**GRO54362** Hardshell Connector **\$20.19<sub>ea</sub>**



- Torsion Mount® II**
- Red lens
- Gel-Mount® bulb cradle design

**GRO52772**



Female Pin

**\$7.89<sub>ea</sub>**

### 6" OVAL

- SuperNova®**
- 9-diode Amber lens
- Completely encapsulated with epoxy

**GRO54143** Hardshell Connector **\$33.19<sub>ea</sub>**



- Hi Count®**
- Amber lens
- Fits same connections as incandescent lamps
- Lower amp draw

**GROG6003** Female Pin **\$36.59<sub>ea</sub>**



- Fits 2-1/2" x 6-3/4" oval hole
- Fits panel thicknesses up to 1/4"

**GRO92420** **\$1.79<sub>ea</sub>**



- Requires 4-1/2" diameter hole
- Fits panel thicknesses up to 1/4"

**GRO91740** **\$1.39<sub>ea</sub>**



## LED OFF-ROAD LIGHT BARS

- Combination Flood / Spot pattern
- Easier on vehicle electrical systems because they run cooler than halogen or HID
- Mounting brackets included
- 12v/24v



**GRO64J11** 10" Light Bar; 5,400 Lumens **\$207.49<sub>ea</sub>**  
**GRO64J21** 20" Light Bar; 10,800 Lumens **\$280.79<sub>ea</sub>**  
**GRO64J31** 30" Light Bar; 16,200 Lumens **\$366.19<sub>ea</sub>**

## HEADLIGHT ASSEMBLIES

**VOLVO**  
VN, 2004  
VNL, 2004 - 2018  
VNM, 2004 - 2018



**DOR-888-5505** Passenger (RH)

**DOR-888-5506** Driver (LH)

**YOUR CHOICE**

**\$214.59<sub>ea</sub>**

**VOLVO**

VN, 1997 - 2004  
VNL, 1997 - 2004



**DOR-888-5507** Passenger (RH)

**DOR-888-5508** Driver (LH)

**YOUR CHOICE**

**\$73.69<sub>ea</sub>**

**HINO**  
145, 165, 185, 258, 258ALP, 258LP, 268, 268A, 338, 338CT, 2006 - 2019



**DOR-888-5759** Passenger (RH)

**DOR-888-5760** Driver (LH)

**YOUR CHOICE**

**\$170.39<sub>ea</sub>**

CH, 1993 - 2006  
CL, 1991 - 2007



**DOR-888-5501** Passenger (RH)

**DOR-888-5502** Driver (LH)

**YOUR CHOICE**

**\$213.19<sub>ea</sub>**

**MACK**

CX, 1998 - 2005  
CXN, 2004 - 2008  
CT, 2005 - 2007  
GU8, 2008 - 2019

GU7, 2008 - 2019  
CXU, 2008 - 2018  
GU5, 2012 - 2018  
GU4, 2012 - 2019



**DOR-888-5503** Passenger (RH)

**DOR-888-5504** Driver (LH)

**YOUR CHOICE**

**\$207.79<sub>ea</sub>**

GU4, 2012 - 2019  
GU5, 2012 - 2018  
GU7, 2008 - 2019



**DOR-888-5127** Passenger (RH)

**DOR-888-5126** Driver (LH)

**YOUR CHOICE**

**\$185.69<sub>ea</sub>**

Columbia, 2001 - 2017



**DOR-888-5201** Passenger (RH)

**DOR-888-5202** Driver (LH)

**YOUR CHOICE**

**\$130.69<sub>ea</sub>**

**FREIGHTLINER**  
M2, 2002 - 2019



**DOR-888-5203** Passenger (RH)

**DOR-888-5204** Driver (LH)

**YOUR CHOICE**

**\$149.99<sub>ea</sub>**

Cascadia, 2008 - 2018



**DOR-888-5205** Passenger (RH)

**DOR-888-5206** Driver (LH)

**YOUR CHOICE**

**\$126.39<sub>ea</sub>**

## FOG LIGHT ASSEMBLIES

**VOLVO**  
VN, 2004  
VNL, 2004 - 2015



**DOR-888-5509** Passenger (RH)

**DOR-888-5510** Driver (LH)

**YOUR CHOICE**

**\$71.69<sub>ea</sub>**

VNL, 2006 - 2009



**DOR-888-5511** Passenger (RH)

**DOR-888-5512** Driver (LH)

**YOUR CHOICE**

**\$139.89<sub>ea</sub>**



Restore driving visibility with Dorman Headlight and Fog Light assemblies.

- Rigid, durable plastic protects against weather and road conditions
- Built to match the exact original dimensions for proper fit
- Plug and play, no programming necessary
- Replacement of worn / damaged headlight restores aesthetic appearance

**HEADLIGHT AND FOG LIGHT ASSEMBLIES ARE ALSO AVAILABLE FOR OTHER APPLICATIONS**



## CLEARANCE MARKERS

### SuperNova® Sealed Turtleback II

Encapsulant potting for total circuit-board protection and meets PC function only when mounted at a 45° angle

**GRO47072** Red, Reflector **\$10.09<sub>ea</sub>**

**GRO47073** Amber, Reflector **\$11.19<sub>ea</sub>**

**GRO47162** Red, Optic Lens **\$21.79<sub>ea</sub>**

**GRO47163** Amber, Optic Lens **\$21.79<sub>ea</sub>**

### SuperNova® Clearance Marker, 2.5"

Encapsulant potting for total circuit-board protection


**GRO47122** Red **\$8.19<sub>ea</sub>**

**GRO47123** Amber **\$8.79<sub>ea</sub>**






REFLECTORS



- 2.187" diameter
- 0.25" deep
- Adhesive



- 3.125" diameter
- 0.23" deep
- Adhesive



- 4.375" wide
- 1.3" high
- 0.2" deep
- 2 screw or adhesive mount



- 3.2" diameter
- 0.27" deep
- Install with nail, screw or rivet



- 3" diameter
- Retro-reflective tape
- Bend, peel & stick



- 3.5" wide
- 2" high
- Retro-reflective tape
- Bend, peel & stick

**Truck-Lite**

|                  |       |                            |
|------------------|-------|----------------------------|
| <b>TL 453</b>    | Red   | <b>\$1.99<sup>ea</sup></b> |
| <b>TL 45A3</b>   | Amber | <b>\$1.99<sup>ea</sup></b> |
| <b>TL 473</b>    | Red   | <b>\$1.89<sup>ea</sup></b> |
| <b>TL 47A3</b>   | Amber | <b>\$1.89<sup>ea</sup></b> |
| <b>TL 98003R</b> | Red   | <b>\$2.49<sup>ea</sup></b> |
| <b>TL 98003Y</b> | Amber | <b>\$2.49<sup>ea</sup></b> |
| <b>TL 98006R</b> | Red   | <b>\$2.59<sup>ea</sup></b> |
| <b>TL 98006Y</b> | Amber | <b>\$2.59<sup>ea</sup></b> |
| <b>TL 98175R</b> | Red   | <b>\$2.09<sup>ea</sup></b> |
| <b>TL 98175Y</b> | Amber | <b>\$2.09<sup>ea</sup></b> |
| <b>TL 98176R</b> | Red   | <b>\$2.09<sup>ea</sup></b> |
| <b>TL 98176Y</b> | Amber | <b>\$1.99<sup>ea</sup></b> |

SIDE TURN SIGNALS - 2" X 6"



- 6.5" W x 2.25" H x 2.5" D
- Narrow width facilitates horizontal mounting
- Meets SAE J2039 recommendation for side turn signal



- 6.5" W x 2.32" H x 1.94" D
- Complies with SAE J2039 standards for side turn signal
- Not susceptible to shock or vibration
- Less current draw resulting in increased battery and alternator life

**Truck-Lite**

|                   |     |                             |
|-------------------|-----|-----------------------------|
| <b>TL 60215YP</b> | Red | <b>\$10.19<sup>ea</sup></b> |
| <b>TL 60421Y</b>  | Red | <b>\$59.59<sup>ea</sup></b> |

ABS INDICATOR LIGHTS



- 2" diameter
- 0.69" deep
- Complies with FMVSS 108 requirement



- 6" wide X 2.03" high X 1.30" deep
- Suitable for mounting on a 45° angle with additional reflectors
- Super 21 plug
- 2 screw mounting



- 2.54" diameter
- 1" deep
- Unique shock-mount extends bulb life
- Sealed polycarbonate lens and housing

**Truck-Lite**

|                   |     |                             |
|-------------------|-----|-----------------------------|
| <b>TL 30275Y3</b> | Red | <b>\$23.29<sup>ea</sup></b> |
| <b>TL 21210Y</b>  | Red | <b>\$11.79<sup>ea</sup></b> |
| <b>TL 10212Y</b>  | Red | <b>\$5.19<sup>ea</sup></b>  |

LED CLEARANCE MARKERS



- 1.09" diameter
- 3/4" mount hole
- .180 bullet terminal
- 1 diode



- 0.719" diameter
- 3/4" mount hole
- .180 bullet terminal
- 1 diode



- 1.53" wide X 0.75" high
- Adhesive mount
- .180 bullet terminal
- 3 diodes



- 1.89" wide X 0.75" high
- Adhesive mount
- .180 bullet terminal
- 3 diodes

**Truck-Lite**

|                   |       |                             |
|-------------------|-------|-----------------------------|
| <b>TL 33050RP</b> | Red   | <b>\$8.79<sup>ea</sup></b>  |
| <b>TL 33050YP</b> | Amber | <b>\$11.39<sup>ea</sup></b> |
| <b>TL 33250R3</b> | Red   | <b>\$9.39<sup>ea</sup></b>  |
| <b>TL 33250Y3</b> | Amber | <b>\$11.89<sup>ea</sup></b> |
| <b>TL 36115R</b>  | Red   | <b>\$23.49<sup>ea</sup></b> |
| <b>TL 36115Y</b>  | Amber | <b>\$20.59<sup>ea</sup></b> |
| <b>TL 36203R</b>  | Red   | <b>\$25.49<sup>ea</sup></b> |
| <b>TL 36203Y</b>  | Amber | <b>\$26.19<sup>ea</sup></b> |

LED ID LIGHT ASSEMBLY



- 0.72" diameter
- Requires 0.75" mounting hole
- World's smallest LED marker lamp for the transportation industry
- Hard-wired lamp
- .180 bullet terminal
- Available with extended harness lengths
- 1 diode / light, 3 lights per assembly

**Truck-Lite**

|                  |     |                             |
|------------------|-----|-----------------------------|
| <b>TL 33740R</b> | Red | <b>\$44.89<sup>ea</sup></b> |
|------------------|-----|-----------------------------|

4" ROUND S/T/T LIGHTS



- 4.31" diameter
- 2.11" deep
- Heavy duty bulb lasts longer
- Flush mount grommets designed for 4-1/2" hole



- 4.30" diameter
- 2.09" deep



- 4.31" diameter
- 2.11" deep
- Reflectorized
- Uniquely designed shock mount extends lamp life



- 4.41" diameter
- 1.75" deep
- Epoxy encapsulated to prevent damage from moisture & corrosion
- 24 diode pattern



- 4.35" diameter
- 1.74" deep
- Faster illumination for quicker reaction for surrounding traffic
- Flange mounts permanently affixed



- 4.4" diameter
- 1.75" deep
- Uses standard right angle connection
- Unique LED array displays full pattern light output design
- Extremely resistant to shock & vibration

**Truck-Lite**

|                   |       |                             |
|-------------------|-------|-----------------------------|
| <b>TL 40202RP</b> | Red   | <b>\$6.69<sup>ea</sup></b>  |
| <b>TL 40202Y3</b> | Amber | <b>\$7.79<sup>ea</sup></b>  |
| <b>TL 40282R3</b> | Red   | <b>\$4.39<sup>ea</sup></b>  |
| <b>TL 40282Y</b>  | Amber | <b>\$6.09<sup>ea</sup></b>  |
| <b>TL 40248R3</b> | Red   | <b>\$12.09<sup>ea</sup></b> |
| <b>TL 4050P</b>   | Red   | <b>\$15.39<sup>ea</sup></b> |
| <b>TL 4050A3</b>  | Amber | <b>\$17.79<sup>ea</sup></b> |
| <b>TL 44302R3</b> | Red   | <b>\$20.19<sup>ea</sup></b> |
| <b>TL 40513</b>   | Red   | <b>\$17.79<sup>ea</sup></b> |
| <b>TL 4051A</b>   | Amber | <b>\$18.49<sup>ea</sup></b> |


6" OVAL S/T/T LIGHTS



- 6.5" W x 2.25" H x 2.5" D
- Right angle plug assembly
- Mount horizontally or vertically



- 6.5" W x 2.32" H x 1.62" D
- Meets stringent front/park/turn signal requirements
- 26 diode pattern



- 6.5" W x 2.25" H x 1.75" D
- Epoxy encapsulated to prevent damage from moisture & corrosion
- 24 diode pattern



- 6.5" W x 2.25" H x 1.75" D
- Epoxy encapsulated to prevent damage from moisture & corrosion
- 24 diode pattern

**Truck-Lite**

|                   |       |                             |
|-------------------|-------|-----------------------------|
| <b>TL 60202RP</b> | Red   | <b>\$7.39<sup>ea</sup></b>  |
| <b>TL 60202YP</b> | Amber | <b>\$7.39<sup>ea</sup></b>  |
| <b>TL 60250R3</b> | Red   | <b>\$36.79<sup>ea</sup></b> |
| <b>TL 6050P</b>   | Red   | <b>\$18.59<sup>ea</sup></b> |
| <b>TL 6050A3</b>  | Amber | <b>\$21.39<sup>ea</sup></b> |
| <b>TL 6051</b>    | Red   | <b>\$24.39<sup>ea</sup></b> |
| <b>TL 6051A</b>   | Amber | <b>\$24.39<sup>ea</sup></b> |

MISCELLANEOUS LIGHTS



- With chrome ABS body
- 2-pin weather pack connector



- With replaceable bulb
- Amber



- 2.54" diameter
- 2.54" deep
- Designed for cab marker use

**Truck-Lite**

|                   |                     |                             |
|-------------------|---------------------|-----------------------------|
| <b>TL 26360YA</b> | Red                 | <b>\$49.99<sup>ea</sup></b> |
| <b>TL 20314Y</b>  | Amber               | <b>\$10.09<sup>ea</sup></b> |
| <b>TL 10203R</b>  | Red, Incandescent   | <b>\$3.99<sup>ea</sup></b>  |
| <b>TL 10203Y</b>  | Amber, Incandescent | <b>\$4.09<sup>ea</sup></b>  |
| <b>TL 10276Y</b>  | Amber, LED          | <b>\$18.89<sup>ea</sup></b> |


LICENSE PLATE LIGHTING



- 2.49" W x 1.2" H x 0.83" D




- 2.48" W x 1.2" H x 1" D
- Hard-wired




- 1.5" diameter x 2.1" deep
- Snap-fit design



- 3.38" W x 2.32" H x 2.52" D
- Snap-fit mount



- 3.38" W x 2.32" H x 2.52" D
- Snap-fit mount



- 2.75" W x 1.5" H x 2" D
- Stripped wire ends



- 3.78" W x 1.23" H x 0.83" D



- 12" wide bracket mount
- 2 screw mount

**Truck-Lite**

**SEE & BE SEEN**

|                   |     |                             |
|-------------------|-----|-----------------------------|
| <b>TL 15208MP</b> | Red | <b>\$2.09<sup>ea</sup></b>  |
| <b>TL 152053</b>  | Red | <b>\$22.39<sup>ea</sup></b> |
| <b>TL 263313</b>  | Red | <b>\$4.09<sup>ea</sup></b>  |
| <b>TL 150113</b>  | Red | <b>\$5.89<sup>ea</sup></b>  |
| <b>TL 150403</b>  | Red | <b>\$38.99<sup>ea</sup></b> |
| <b>TL 263303</b>  | Red | <b>\$4.39<sup>ea</sup></b>  |
| <b>TL 192063</b>  | Red | <b>\$3.99<sup>ea</sup></b>  |
| <b>TL 42722</b>   | Red | <b>\$7.59<sup>ea</sup></b>  |

IDENTIFICATION BARS



- Features rugged stainless steel bar designed for limited mounting areas
- Lamps mounted on 6" centers
- Fits most narrow header rails
- Snap-lock tabs for easy installation



- Designed to fit applications requiring minimal space
- Stainless steel bar with three LED lamps on 6" centers
- Epoxy sealed to resist corrosion & moisture
- Less susceptible to shock & vibration



- Designed to fit applications requiring minimal space
- Slim 1" width is perfect for upper rail mounting
- Draws less current, allowing for more power for other vehicle requirements

**Truck-Lite**

|                   |     |                             |
|-------------------|-----|-----------------------------|
| <b>TL 15741R3</b> | Red | <b>\$24.39<sup>ea</sup></b> |
| <b>TL 15050R</b>  | Red | <b>\$38.89<sup>ea</sup></b> |
| <b>TL 35740R</b>  | Red | <b>\$57.69<sup>ea</sup></b> |







# INDUSTRIAL SUPPLIES

## UTILITY LIGHTING



### STYLUS PRO® PENLIGHT

- White LED delivers 100 lumens; 62m beam; runs 8 hours
- Push button tail switch
- Conveniently fits in your pocket
- IPX4 water-resistant
- 5.3" long and weighs just 1.64 oz.
- Includes two (2) AAA alkaline batteries
- Type II MIL-SPEC abrasion and corrosion-resistant anodized aircraft aluminum construction with unbreakable, scratch-resistant polycarbonate lens

|                |        |                  |
|----------------|--------|------------------|
| <b>SR66118</b> | Black  | <b>\$31.59ea</b> |
| <b>SR66128</b> | Orange | <b>\$31.59ea</b> |

### MICROSTREAM® POCKET LIGHT

- White LED delivers 45 lumens; 41m beam; runs 2.25 hours
- Push-button tail switch
- IPX4 water-resistant
- Ultra-compact 3.60" (91.5 mm) design fits in the palm of your hand
- Durable, anodized aircraft aluminum construction with unbreakable, scratch-resistant polycarbonate lens
- Includes one (1) AAA alkaline battery
- 3.6" long and weighs just 1.10 oz.

|                |  |                  |
|----------------|--|------------------|
| <b>SR66318</b> |  | <b>\$26.99ea</b> |
|----------------|--|------------------|

### BANDIT® RECHARGEABLE LED HEADLAMP

- White LED with high (180 lumens / runs 2 hours), low (35 lumens / runs 9.5 hours), and emergency flash
- Produces bright, even, diffused light with less shadow
- IPX4 weather-resistant
- Weighs just 1.3 oz.
- USB-rechargeable battery charges in approximately 2.5 hours
- Indicator light blinks with about 5 minutes of run time remaining
- Includes visor clip, USB cord, and elastic head strap

|                |  |                  |
|----------------|--|------------------|
| <b>SR61700</b> |  | <b>\$32.79ea</b> |
|----------------|--|------------------|

## BRASS BALL VALVES



- Full port
- Forged lead free BZR brass body
- Made in Italy
- NSF / ANSI / CAN 61 & 372 Certified
- UL / FM approved for fire protection
- CSA approved for natural gas
- Meets Buy America Act requirements
- 29in-HG vacuum service rated

|                     |        |                   |
|---------------------|--------|-------------------|
| <b>AMVG102T1/4</b>  | 1/4"   | <b>\$11.09ea</b>  |
| <b>AMVG102T3/8</b>  | 3/8"   | <b>\$11.09ea</b>  |
| <b>AMVG102T1/2</b>  | 1/2"   | <b>\$11.69ea</b>  |
| <b>AMVG102T3/4</b>  | 3/4"   | <b>\$16.29ea</b>  |
| <b>AMVG102T1</b>    | 1"     | <b>\$24.49ea</b>  |
| <b>AMVG102T11/4</b> | 1-1/4" | <b>\$34.89ea</b>  |
| <b>AMVG102T11/2</b> | 1-1/2" | <b>\$55.29ea</b>  |
| <b>AMVG102T2</b>    | 2"     | <b>\$78.59ea</b>  |
| <b>AMVG102T21/2</b> | 2-1/2" | <b>\$183.29ea</b> |
| <b>AMVG102T3</b>    | 3"     | <b>\$267.09ea</b> |
| <b>AMVG102T4</b>    | 4"     | <b>\$447.99ea</b> |

## POWER-SEAL® CLAMPS



General purpose automotive and industrial clamps made with high strength 4-piece Quadra-Lock construction. Exceeds all SAE requirements.

|                 |          |         |         |                 |
|-----------------|----------|---------|---------|-----------------|
| <b>BRZ62006</b> | 7/16"    | through | 25/35"  | <b>\$0.49ea</b> |
| <b>BRZ62010</b> | 9/16"    | through | 1-1/16" | <b>\$0.49ea</b> |
| <b>BRZ62012</b> | 11/16"   | through | 1-1/4"  | <b>\$0.49ea</b> |
| <b>BRZ62016</b> | 13/16"   | through | 1-1/2"  | <b>\$0.49ea</b> |
| <b>BRZ62020</b> | 13/16"   | through | 1-3/4"  | <b>\$0.49ea</b> |
| <b>BRZ62024</b> | 1-1/16"  | through | 2"      | <b>\$0.49ea</b> |
| <b>BRZ62028</b> | 1-5/16"  | through | 2-1/4"  | <b>\$0.49ea</b> |
| <b>BRZ62032</b> | 1-9/16"  | through | 2-1/2"  | <b>\$0.49ea</b> |
| <b>BRZ62036</b> | 1-13/16" | through | 2-3/4"  | <b>\$0.49ea</b> |

## SQUEEGEE

- Will not scratch windows
- 8" head x 20" handle
- Nylon netting over poly sponge

|                  |                 |
|------------------|-----------------|
| <b>BK8233012</b> | <b>\$7.99ea</b> |
|------------------|-----------------|

## SQUEEGEE BUCKET

Steel mounting bracket, sturdy molded plastic

|                  |                  |
|------------------|------------------|
| <b>BK8272528</b> | <b>\$26.09ea</b> |
|------------------|------------------|

## MOP HEADS



### RAYON MOP HEAD

- 16 oz. professional mop head
- Ideal for damp mopping and waxing for instant absorbency

|                    |                  |
|--------------------|------------------|
| <b>EL1111RAY16</b> | <b>\$10.89ea</b> |
|--------------------|------------------|

### COTTON MOP HEAD

- Size #24
- Cut-end wet mop

|                   |                 |
|-------------------|-----------------|
| <b>BWK2024CEA</b> | <b>\$9.39ea</b> |
|-------------------|-----------------|



## EXTENSION CORDS



### RETRACTABLE EXTENSION CORD

- Retractable cord reel with 30' of extension cord
- 3 separate grounded outlets
- LED status light on outlet bar
- 10amp rating
- Includes mounting brackets to attach the reel to the wall or ceiling

|                |                                             |                  |
|----------------|---------------------------------------------|------------------|
| <b>BYSL800</b> | Heavy-Duty 16/3 Gauge, Triple-Tap, 30' Long | <b>\$70.59ea</b> |
|----------------|---------------------------------------------|------------------|

### STANDARD EXTENSION CORDS

- Lighted outlet so you know you have power
- Single male and single female outlet
- Rated at 15 amps

|                 |                                  |                  |
|-----------------|----------------------------------|------------------|
| <b>BYSL757L</b> | 12/3 Gauge, Single-Tap, 25' Long | <b>\$42.89ea</b> |
| <b>BYSL758L</b> | 12/3 Gauge, Single-Tap, 50' Long | <b>\$94.69ea</b> |
| <b>BYSL752L</b> | 14/3 Gauge, Single-Tap, 25' Long | <b>\$35.99ea</b> |

### COLD WEATHER EXTENSION CORDS

- Cold weather-rated to remain flexible
- Lighted outlet so you know you have power
- Cord jacket has increased resistance to oil and water
- Single male and single female outlet
- Rated at 15 amps

|                |                                   |                   |
|----------------|-----------------------------------|-------------------|
| <b>BYSL993</b> | 14/3 Gauge, Single-Tap, 25' Long  | <b>\$39.19ea</b>  |
| <b>BYSL994</b> | 14/3 Gauge, Single-Tap, 50' Long  | <b>\$69.29ea</b>  |
| <b>BYSL996</b> | 12/3 Gauge, Single-Tap, 25' Long  | <b>\$57.79ea</b>  |
| <b>BYSL997</b> | 12/3 Gauge, Single-Tap, 50' Long  | <b>\$96.89ea</b>  |
| <b>BYSL998</b> | 12/3 Gauge, Single-Tap, 100' Long | <b>\$181.19ea</b> |

## FUSEES

### 30 MINUTE SAFETY FUSEES

- 30 minute burn time
- Moisture resistant

|                  |                              |                 |
|------------------|------------------------------|-----------------|
| <b>LOG27300S</b> | Spike Type, <b>4 OR MORE</b> | <b>\$3.89ea</b> |
| <b>LOG93400S</b> | Wire Type, <b>4 OR MORE</b>  | <b>\$3.59ea</b> |

### FUSEE HOLDER

Heavy-duty emergency Fusee Holders are designed to hold 20 or 30 minute Fusees. Holders are constructed from heavy-duty polypropylene, with a handle and no roll design. Designed to hold 12 Fusees.

|                 |                  |
|-----------------|------------------|
| <b>LOGTFCTS</b> | <b>\$52.29ea</b> |
|-----------------|------------------|

## SAFETY WARNING TRIANGLE KIT

- Includes three triangles in a high-density plastic case
- Meets or exceeds all applicable DOT standard FMVSS 125 and all state and legal requirements

|                   |                  |
|-------------------|------------------|
| <b>JAK1005KIT</b> | <b>\$35.29ea</b> |
|-------------------|------------------|

## FAST ORANGE® HAND CLEANER

The #1 selling, biodegradable, waterless, petroleum solvent-free hand cleaner that contains no harsh chemicals, petroleum solvents or ammonia that can sting cuts and abrasions. Pure, fresh-smelling natural citrus power does the cleaning. Fortified with aloe, lanolin, glycerin, and other skin conditioners.

**Smooth Formula** gently deep cleans the toughest dirt. Works great on laundry stains, scuff marks, tile floors, pet odors and many other household cleaning needs.

**Pumice Formula** deep cleans the toughest dirt. Works great on scuff marks, tile floors, pet odors and many other household cleaning needs.



|                 |                                            |                  |
|-----------------|--------------------------------------------|------------------|
| <b>LOC23108</b> | Smooth Formula, 7.5 oz.                    | <b>\$2.19ea</b>  |
| <b>LOC23218</b> | Smooth Formula, 1 Gallon, <b>2 OR MORE</b> | <b>\$16.29ea</b> |
| <b>LOC25122</b> | Pumice Formula, 15 oz.                     | <b>\$3.19ea</b>  |
| <b>LOC25219</b> | Pumice Formula, 1 Gallon, <b>2 OR MORE</b> | <b>\$16.29ea</b> |

## FAST ORANGE® XTREME CHERRY

A professional strength hand cleaner concentrated to tackle the toughest grease, while conditioning hands. This premium fine pumice lotion acts quickly to power out the harshest soils without leaving hands feeling greasy or irritated. Great for hard working hands, it contains a unique skin conditioning system that helps to restore moisture and prevent dry, chapped hands. Its light clean cherry scent is refreshing and contains no petroleum odors. No kerosene, no phosphates.


- Proven 10% greater cleaning power over original formula and other brands
- Advanced skin restoration conditioners protect hands against drying and cracking
- Odor eliminating technology neutralizes the smell of gasoline, oil, and other common odors

|                 |                            |                  |
|-----------------|----------------------------|------------------|
| <b>LOC25619</b> | 1 Gallon, <b>2 OR MORE</b> | <b>\$19.69ea</b> |
|-----------------|----------------------------|------------------|


## NYLON SLINGS

### FLAT EYE AND EYE (EE) SLINGS

Commonly used for a bracket hitch, this type of sling has a loop (or eye) at each end. A choker hitch can be also made by passing one eye around the load and through the other eye to form a slip noose. Because it squeezes the load, a choker can often be used singly.



### UNDERSTANDING NYLON SLING PART NUMBERS



| PART NUMBER         | WEB | LENGTH | PART NUMBER         | WEB | LENGTH |
|---------------------|-----|--------|---------------------|-----|--------|
| <b>INDEE2801X2</b>  | 1"  | 2'     | <b>INDEE2803X4</b>  | 3"  | 4'     |
| <b>INDEE2801X3</b>  | 1"  | 3'     | <b>INDEE2803X6</b>  | 3"  | 6'     |
| <b>INDEE2801X4</b>  | 1"  | 4'     | <b>INDEE2803X8</b>  | 3"  | 8'     |
| <b>INDEE2801X6</b>  | 1"  | 6'     | <b>INDEE2803X10</b> | 3"  | 10'    |
| <b>INDEE2801X8</b>  | 1"  | 8'     | <b>INDEE2803X12</b> | 3"  | 12'    |
| <b>INDEE2801X10</b> | 1"  | 10'    | <b>INDEE2803X16</b> | 3"  | 16'    |
| <b>INDEE2802X2</b>  | 2"  | 2'     | <b>INDEE2804X4</b>  | 4"  | 4'     |
| <b>INDEE2802X3</b>  | 2"  | 3'     | <b>INDEE2804X6</b>  | 4"  | 6'     |
| <b>INDEE2802X4</b>  | 2"  | 4'     | <b>INDEE2804X8</b>  | 4"  | 8'     |
| <b>INDEE2802X6</b>  | 2"  | 6'     | <b>INDEE2804X10</b> | 4"  | 10'    |
| <b>INDEE2802X8</b>  | 2"  | 8'     | <b>INDEE2804X16</b> | 4"  | 16'    |
| <b>INDEE2802X10</b> | 2"  | 10'    | <b>INDEE2804X20</b> | 4"  | 20'    |
| <b>INDEE2802X12</b> | 2"  | 12'    | <b>INDEE2804X24</b> | 4"  | 24'    |
| <b>INDEE2802X14</b> | 2"  | 14'    |                     |     |        |
| <b>INDEE2802X16</b> | 2"  | 16'    |                     |     |        |
| <b>INDEE2802X18</b> | 2"  | 18'    |                     |     |        |
| <b>INDEE2802X20</b> | 2"  | 20'    |                     |     |        |

|                    |         |                  |                     |          |                  |
|--------------------|---------|------------------|---------------------|----------|------------------|
| <b>INDEE2801X2</b> | 1" x 2' | <b>\$10.39ea</b> | <b>INDEE2802X4</b>  | 2" x 4'  | <b>\$17.39ea</b> |
| <b>INDEE2801X3</b> | 1" x 3' | <b>\$11.69ea</b> | <b>INDEE2802X6</b>  | 2" x 6'  | <b>\$20.59ea</b> |
| <b>INDEE2801X4</b> | 1" x 4' | <b>\$13.19ea</b> | <b>INDEE2802X8</b>  | 2" x 8'  | <b>\$22.89ea</b> |
| <b>INDEE2801X6</b> | 1" x 6' | <b>\$15.19ea</b> | <b>INDEE2802X10</b> | 2" x 10' | <b>\$26.99ea</b> |
| <b>INDEE2801X8</b> | 1" x 8' | <b>\$17.39ea</b> | <b>INDEE2802X12</b> | 2" x 12' | <b>\$37.09ea</b> |

## DRILL BIT SETS



|                                                                                  |                   |
|----------------------------------------------------------------------------------|-------------------|
| <b>HEAVY DUTY 29 PC SET</b><br>1/16" thru 1/2" by 64ths<br><b>GBMHD29</b>        | <b>\$89.59ea</b>  |
| <b>COBALT 29 PC SET</b><br>1/16" thru 1/2" by 64ths<br><b>GBMCOB29</b>           | <b>\$169.89ea</b> |
| <b>BLACK &amp; GOLD 29 PC SET</b><br>1/16" thru 1/2" by 64ths<br><b>GBMHDC29</b> | <b>\$103.79ea</b> |
| <b>LEFT HAND 29 PC SET</b><br>1/16" thru 1/2" by 64ths<br><b>GBMLH29</b>         | <b>\$179.59ea</b> |

## SORBENT PADS



**Universal Pads** absorb oils, coolants, solvents, water and much more. Gray color disguises grime and unsightly spills.

**Oil Only Pads** absorb oil from water or on land, while repelling water. White color creates high-contrast when used with hydrocarbons and other oil-based liquids and fluids.

|                |                            |                 |
|----------------|----------------------------|-----------------|
| <b>SPFDB75</b> | Universal, 16" x 18", Gray | <b>\$0.69ea</b> |
| <b>SPFZ75</b>  | Oil Only, 16" x 18", White | <b>\$0.89ea</b> |

## INDUSTRIAL BATTERIES

Worldwide, the Energizer® name is all about never stopping. We keep going...and going, this time putting the professional at the center of everything we do, literally empowering you to perform your very best, for your customers, every day – without stopping. That's Energizer Industrial®.

|                                                                    |                 |                                                                  |                 |
|--------------------------------------------------------------------|-----------------|------------------------------------------------------------------|-----------------|
| <b>Energizer INDUSTRIAL</b><br>AA Battery, 1.5V<br><b>EVEEN91</b>  | <b>\$0.39ea</b> | <b>Energizer INDUSTRIAL</b><br>9V Battery<br><b>EVEEN22</b>      | <b>\$1.69ea</b> |
| <b>Energizer INDUSTRIAL</b><br>AAA Battery, 1.5V<br><b>EVEEN92</b> | <b>\$0.39ea</b> | <b>Energizer INDUSTRIAL</b><br>C Battery, 1.5V<br><b>EVEEN93</b> | <b>\$0.89ea</b> |
|                                                                    |                 | <b>Energizer INDUSTRIAL</b><br>D Battery, 1.5V<br><b>EVEEN95</b> | <b>\$1.39ea</b> |





AIRBAGS

Firestone  
AIRIDE

Assembly Weight: 20.4 Lbs  
Extended Height: 27.60"  
Compressed Height: 6.20"  
Top Plate Width: 9"  
Piston Width: 10.25"

**FIW013589367**  
**\$207.59ea**



Assembly Weight: 7.33 Lbs  
Compressed Height: 3.12"  
Top Plate Width: 6.31"  
Piston Width: 6.31"

**FIW013586897**  
**\$122.19ea**



Assembly Weight: 16.2 Lbs  
Extended Height: 22.0"  
Compressed Height: 7.60"  
Top Plate Width: 9"  
Piston Width: 10"

**FIW013589373**  
**\$142.49ea**



TR-T BRAKE CHAMBERS

BREATHER TUBE TECHNOLOGY

- Heavy-duty nylon reinforced
- External breather tube seals out contamination
- Center hole shield prevents entry of contaminants
- Heavy-duty 8-gauge steel non-pressure chamber standard on Type 3030 and 3036 models



**Ideal for tough applications:**  
Ready-mix cement trucks, dump trucks (end dumps, belly dumps, etc.), refuse, and other vehicles that typically operate in harsh, dusty environments

**MGM3431051X** TR3030T, 2.50" Standard Stroke

**MGM3431951X** TR3030T, 2.50" Standard Stroke

**MGM3431952X** TR3030T, 2.50" Standard Stroke

**MGM3532851X** TR3036TS with Neoprene Diaphragm, 2.50" Standard Stroke, Severe Service



**MGM Brakes**  
A Division of Indian Head Industries, Inc.

**\$129.49ea**

**\$147.09ea**

**\$149.59ea**

**\$288.09ea**

HH-66 VINYL CEMENT

- Used for tarp repair, as well as repairing other various fabrics and materials
- Dries quickly with strong, flexible bond
- Not affected by weather and temperature extremes
- Highly resistant to oil, fuel, grease, and many other chemicals




**RH Products Co., Inc.**  
Specialty Adhesives

**RHPHH66CEMENT/QT** 32 oz. **\$43.29ea**

3-WAY VALVE

- Pneumatic 3-way auto reset valve with integral knob
- Controls release of slider pins after parking brakes are fully applied
- 2 hole external mounting



**HENDRICKSON**

**HDRV525223**

**\$54.19ea**

**HENDRICKSON**  
**LIFT AXLES AVAILABLE!**


*Talk to your Outside Parts Sales representative for more information!*

AIR HORNS

HADLEY

RECTANGULAR BELL SINGLE AIR HORNS

The classic Hadley Rectangular Bell is the most widely recognized truck air horn in the world. The Hadley Rectangular Bell Horn offers the traditional "Hadley Sound", a crystal clear, characteristic note that can be heard for up to a mile.



**HDYH00978** 26", Steel with Chrome finish  
**HDYH00977** 29", Steel with Chrome finish  
**HDYH00910HP** 15.5", Plastic with Black finish

DUAL BULLY® HORN

The Hadley Bully Series Air Horn offers the traditional "Hadley Sound", a crystal clear, characteristic note that can be heard up to a mile away. This hallmark hi/lo tone comes from the exclusive sound chamber and the use of offset trumpets.



**\$211.99ea**  
**\$216.19ea**  
**\$63.99ea**

DONOVAN - TOUGH. RUGGED. RELIABLE.

COMPLETE TARP SYSTEMS

Donovan™ Tarp Systems manufactures well-built, reliable, and economical tarping systems specifically for the construction and waste industries. Made by the largest manufacturer of quality tarp and containment systems in the United States—Shur-Co®—Donovan™ brand tarp systems are a name you can trust.

- Double-folded hem
- Grommets every 4'
- 6" pocket
- Spline sewn into front hem
- 2" webbing sewn over side hems (standard on all HD mesh tarps)



*Talk to your Outside Parts Sales representative for more information!*



HEAVY DUTY MESH

Durable, lightweight 14oz. mesh material that provides good air circulation and secure containment. Featuring 2" webbing sewn over side hems.

**DE 1801282**

7' x 16' **\$100.89ea**

**DE 1801283**

7' x 18' **\$115.99ea**

**DE 1801284**

7' x 20' **\$126.09ea**

**DE 1801459**

7' x 22' **\$139.49ea**



MIGHTY MESH®

Made of the strongest tarp material available on the market. Ideal for the roughest jobs due to its durability. Higher tear resistance mesh with 50% more threads than the heavy duty mesh.

**DE 1802139**

7' x 20' **\$219.99ea**

**DE 1801686**

8' x 28' **\$300.89ea**

**DE 1803789**

9' x 28' **\$287.39ea**




ASPHALT LUMITE

Perfect replacement for a variety of hauling purposes. They are lighter than vinyl materials and designed to handle heat up to 350°F.

**DE 1800566**

7' x 20' **\$139.49ea**



18 OZ VINYL

Made of a PVC-coated high-tenacity polyester material that will not rot, shrink, or stretch and offers unparalleled adhesion to reduce wind whip, color match, and colorfastness. Constructed with heat-welded seams in the main body of the cover for double thickness that creates a waterproof environment.

**DE 1801609**

9' x 20' **\$396.69ea**

UNIVERSAL TARP MOTOR

- Five mounting holes - fits all competitor's mounting plates
- Extended output shaft - features two roller bar attachment hole to fit any brand tarp system



**DE 1802061** **\$235.29ea**



US TARP, COVERING AMERICA



COMPLETE TARP SYSTEMS

for dump trucks, dump trailers, landscaping, refuse and more!



US Tarp carries a full line of complete tarp systems. Ready to use and easy to install. Tarpaulin systems are designed for the most rugged work environments on the planet.

*Talk to your Outside Parts Sales representative for more information!*

TARP MOTORS

US Tarp offers one of the best tarp motors available in the industry. Gearing ratios 50:1, 60:1 and 90:1 along with a universal 5 bolt mounting pattern gives their bulletproof tarp motors one of the most versatile designs available.

1 HP, 50:1 SLIM BULLETPROOF MOTOR

Slim Bulletproof Tarp Motor is the fastest of all bulletproof tarp motors. Recommended for use on dump trucks or trailers up to 28' in length.

**UST13655**

**\$257.49ea**



1 HP, 60:1 BULLETPROOF MOTOR

Bulletproof Tarp Motor is an all around tarp motor. It also has power to roll up mid size tarp systems. Recommended for tarp systems up to 35' in length.

**UST13732**

**\$273.89ea**



2 HP, 90:1 HD BULLETPROOF MOTOR


Heavy-Duty Bulletproof Tarp Motor is designed for maximum power output. Recommended for tarp systems up to 45' in length.

**UST13957**

**\$290.19ea**




HEAVY DUTY INDUSTRIAL TARPS



HEAVY DUTY BLACK MESH

PVC coated polyester recommended for rock, sand, or gravel. Available in black, blue, green, red and multi-color.



MONSTER MESH

Higher tear resistance mesh with 50% more threads than the heavy duty mesh. Available in multi-color.



ALMIGHTY MESH

Strongest mesh available. Available in black.




LENO-WEAVE MESH

Lighter weight mesh allowing for better air flow and reduced wind whip. Available in multi-color.



POLYESTER MESH

Light weight, strong, and will resist ripping. Used in colder climates for refuse hauling. Available in white.



ASPHALT LUMITE

Lightweight water resistant polypropylene fabric. Rated for temps up to 350°. Available in black.



14 OZ VINYL

Great general purpose waterproof asphalt fabric. Available in black.



18 OZ VINYL

The industry standard waterproof asphalt covering fabric. Available in 18oz and 22oz material. Available in black.



RFL COATED CANVAS

RFL coated tightly woven fabric. Rated up to 400° and stays flexible in cold water. Available in tan.



COATED AIR BAG

Nylon fabric with urethane coating on one-side. Lightweight and resists tears. Available in black.

VEHICLE CONSTRUCTION SIGNS

- 0.080 gauge aluminum
- Diamond grade
- Available in 2 sizes
- Reflective
- Easily seen

**CONSTRUCTION VEHICLE  
KEEP ALERT FOR  
SUDDEN STOPS AND TURNS**

**USMMV1DIAMOND**

36" W x 12" H

**\$50.59ea**

**USMMV2DIAMOND**

60" W x 24" H

**\$131.99ea**



SHOVELS

D-GRIP SQUARE POINT



STRAIGHT SQUARE POINT



**AME42106**

**UnionTools**

D-Grip, 28" Handle, 8.625" Head

**\$17.49ea**

**AME1554500**

**Eagle**

Straight, 46" Handle, 9" x 10.5" Head

**\$11.39ea**

**AME42116**

**RAZORBACK**

D-Grip, 30" Handle, 8.75" Head

**\$31.09ea**

**AME44124**

**RAZORBACK**

Straight, 48" Handle, 9.5" Head

**\$30.99ea**

D-GRIP ROUND POINT



STRAIGHT ROUND POINT



**AME43106**

**UnionTools**

D-Grip, 28" Handle, 8.5 x 11.5" Head

**\$17.59ea**

**AME1554300**

**Eagle**

Straight, 46" Handle, 8.25" x 11.5" Head

**\$11.29ea**

**AME43205**

**RAZORBACK**

D-Grip, 30" Handle, 8.75" Head

**\$31.09ea**

**AME45519**

**RAZORBACK**

Straight, 48" Handle, 8.75" Head

**\$31.09ea**

LED ILLUMINATED BUMPER GUIDES

- Epoxy sealed LED lights for protection against moisture
- Rubber re-enforced base protects wires from vibration
- Sheathed wires for corrosion protection
- Made of Type 304 Stainless Steel for ultimate corrosion resistance and superior finish
- Clamp or drill mount (based on bumper design)

**848-210:** Offset: 6"

**Freightliner, 2012 - 2024**

108SD / 114SD

**Mack, up to 2024**

Granite (SBA / SFA)

**Peterbilt, 1987 - 2024**

357, 365, 367, 379,

388, 389, 567

**Western Star, 2000 - 2024**

4700FA, 4800FA, 4900FA,

4900EX, 49X, 47X

**848-211:** Offset: 2.5"

**Kenworth, 1970 - 1982**

W900A

**Mack, any Year**

R Series, Superliner

**Peterbilt, 1970 - 2024**

357, 359, 359EXHD,

365, 367, 378, 379,

379EX, 388, 389, 567

**Western Star, 2000 - 2024**

4700FA, 4900FA, 4900EX,

Constellation, Heritage,

Limited Edition 67

**BOR848210**

6" Offset, 48" high

**\$137.19ea**

**BOR848211**

2.5" Offset, 48" high

**\$137.19ea**



SHOVEL HOLDER

- Hold shovels or other round handled tools in place with heavy-duty spring mechanisms
- Keeps tools organized
- Mounts to side of truck for easy access
- Ideal for dump body applications
- Easily mounts with 4 large-diameter bolt holes



**ALSO AVAILABLE IN  
BLACK POWDER COATED  
STEEL (BUYSH675S)**




**BUYSH675SS**

**\$42.59ea**

TAILGATE LATCH ASSEMBLIES

FORGED BRACKET & CLEVIS

- Weighs 10.3 lbs
- Used to provide a seal for dump body and dump trailer tailgates



**BUYTGL3410ST**

Forged Bracket & Clevis

**\$52.49ea**

**BUYTGL3410**

Aluminum Bracket & Cle





# SEASONAL SAVINGS

## FAST FLAPS MUD FLAP BRACKETS

Releasable mud flap clamps ideal for dump trucks, cement mixers, roll-off trucks, garbage trucks, and trailers where accidentally backing over the mud flaps cause damage.

- Allows mud flaps to release free from clamps without causing damage to flaps, hanger, or rear fender
- All stainless steel, heat tempered to spring steel
- Standard 7" on center bolt pattern
- Minimum mud flap thickness to use is 1/4"
- A 10" screwdriver is all you need to insert mud flaps in the brackets
- One kit includes everything you need to mount 2 mud flaps



MIN10001563 **\$196.39ea**

## RUBBER MUDFLAPS

### STANDARD, 1/4" RUBBER

Chevron mud flaps

**JAK2424S** 24" x 24" 5lbs each **\$12.19ea**  
**JAK2430S** 24" x 30" 6.5lbs each **\$14.19ea**  
**JAK2436S** 24" x 36" 8lbs each **\$17.39ea**

### HEAVY DUTY, 1/2" RUBBER

Anti sail / anti spray mud flaps

**JAK2424HD** 24" x 24" 9lbs each **\$16.59ea**  
**JAK2430HD** 24" x 30" 11lbs each **\$22.79ea**  
**JAK2436HD** 24" x 36" 13lbs each **\$25.39ea**



### 1/2" SOLID RUBBER

Dump truck mud flaps

**JAK2440HDDT** 24" x 40" 18lbs each **\$30.49ea**  
**JAK2442HDDT** 24" x 42" 20lbs each **\$27.49ea**

## THE ORIGINAL SHOP TOWEL

These utility shop towels are ideal for changing oil, refilling fluids and general, multi-purpose automotive maintenance. They are the multi-purpose shop towels that can help you get just about any job done right!



### QUICK SPECS

Format: Roll  
Sheet Size: 11" x 9.4"  
Towels / Roll: 55  
Rolls / Case: 30  
Color: Blue

### QUICK SPECS

Format: Pop-up box  
Sheet Size: 9" x 12"  
Towels / Box: 200  
Boxes / Case: 8  
Color: Blue

**SCO75130** Roll, 4 OR MORE **\$3.39roll**  
**SCO75190** Pop-up Box, 2 OR MORE **\$14.79box**

## RAGS IN A BOX

- Ideal for absorbing spills, wiping up grease and grime and cleaning up after messy projects
- 7X stronger when wet than the leading value brand kitchen paper towel
- Durable and work well, even when they're wet



### QUICK SPECS

Format: Pop-up box  
Sheet Size: 9" x 12"  
Towels / Box: 200  
Boxes / Case: 8  
Color: White

**SCO75260** Pop-up Box, 2 OR MORE **\$14.79box**

## WORK GLOVES

### DOUBLE PALM

- Green double leather palm
- Leather knuckle strap
- Wing thumb
- Full leather first finger, leather finger tips

**SG1270PL** Large **\$2.99pr**

**SG1270PXL** XLarge **\$2.99pr**



### LEATHER PALM

- Leather palm
- Wing thumb construction
- 2.5" washable safety cuff
- Leather knuckle strap

**SG1140L** Large **\$3.19pr**

**SG1140XL** XLarge **\$3.19pr**



### DOUBLE LEATHER PALM

- Split cowhide inside double palm
- Rubberized safety cuff
- Reinforced knuckle strap
- Welled seams on the middle fingers

**SG1360IDOL** Large **\$4.59pr**

**SG1360IDOXL** XLarge **\$4.59pr**

**SG1360IDO2X** 2XLarge **\$4.59pr**



### SPLIT LEATHER PALM

- Leather palm w/wing thumb construction
- 2.5" rubberized safety cuff
- Leather knuckle strap

**SG1160L** Large **\$2.49pr**

**SG1160XL** XLarge **\$2.49pr**



## TRACKER BAR SPRING KIT

FIND SIMILAR PRODUCT ON PAGE 1

- Stretches to 40" at 35lbs of pull force
- 2x stronger than competitors
- Great spring memory
- Quick change
- Durable nylon sleeve
- Keeps cables off deck plates



**PHI17148** Heavy-Duty 20" Springs, w/Qwik-Snap™ **\$21.79ea**

**PHI17420** Kit with dual 16" Springs, w/Qwik-Snap™ **\$37.19ea**

## MOUNTING GROMMETS



- For 40 / 44 Series and 4" round lights
- Provides additional shock absorbcency



**TL 40700P** **\$1.49ea**

- For 60 Series and 6" oval lights
- Provides additional shock absorbcency



**TL 60700P** **\$1.89ea**

- For 30 Series and 2" round lights
- Provides additional shock absorbcency



**TL 307003** **\$1.69ea**

- For 10 Series and 2.5" round lights
- Wide groove for panel thickness up to 2.5"



**TL 107003** **\$1.69ea**

- For 10 Series and 2.5" round lights
- Designed for recess mounting



**TL 107043** **\$1.79ea**

- For 33 Series and 0.75" round lights
- Assures a 99.9% leak-proof seal



**TL 33700** **\$1.89ea**

## OMEGA II HARD HATS

- 6-Point woven nylon suspension
- Accommodates 2-point chin strap
- Mega Ratchet® size adjustment for head sizes 6.5 - 8
- SEI Certified

**ERB19951** White  
**ERB19952** Yellow  
**ERB19953** Orange  
**ERB19954** Red  
**ERB19956** Safety Blue  
**ERB19958** Safety Green



ANY COLOR, YOUR CHOICE

**\$9.29ea**

## SAFETY FLAGS



### BUNGEE

- 18" x 18"
- Built in heavy duty cords
- Flexible wetting
- Fray resistant

- Double needle stitched hemmed end
- Best flag for serious hauler



**MSCFB300C** Red Jersey **\$9.19ea**

**MSCFB400CR** Red Mesh **\$8.89ea**

**MSCFB400C** Fluorescent Orange Mesh **\$8.89ea**

### GROMMET

- 18" x 18"
- Fray resistant
- Has two large #5 toothed grommets

- Reinforcement material at hemmed end
- Attach with bungees, rope, or flag-mags



**MSCFG300C** Red Jersey **\$6.69ea**

**MSCFG400C** Fluorescent Orange Mesh **\$6.59ea**

### STAFF

- 18" x 18"
- Fray resistant
- Double needle stitched dowel pocket

- Comes with 3/4" x 30" dowel



**MSCFS200C** Red Cotton **\$5.79ea**

**MSCFS300C** Red Jersey **\$7.59ea**

**MSCFS400C** Fluorescent Orange Mesh **\$7.39ea**

### WIRE LOOP

- 18" x 18"
- Fray resistant
- Double needle stitched
- Has 10-gauge steel wire with 1/2" loop in center

- Not recommended for over the road at highway speeds




**MSCFW200C** Red Cotton **\$4.69ea**

**MSCFW300C** Red Jersey **\$7.19ea**

**MSCFW400C** Fluorescent Orange Mesh **\$5.99ea**

## LOAD MEASURING STICK



- EZ-Flip 4' horizontal bar pivots and locks into position
- 4 section fiberglass telescoping pole expands from 52.5" to 15'
- Easy to read english/metric scales
- Comes with convenient, durable storage bag
- Compact, portable, lightweight
- Thick rubber end caps

DON'T LET THIS HAPPEN TO YOU!

**MSCLMS103** **\$250.19ea**



WABASH™



## PA TRUCK CENTERS

Carlisle  
Conshohocken  
Ephrata  
Kennett Square  
Lebanon  
Reading  
Souderton  
West Milton  
Wrightsville

## NJ TRUCK CENTERS

Pennsauken  
Trenton  
Vineland

## DE TRUCK CENTERS

New Castle

## MD TRUCK CENTERS


Delmar

## PA PARTS STORES

Allentown  
Clearfield  
Johnstown  
Milton  
Nottingham  
Telford  
York



>> see commercial location details



● COMMERCIAL TRUCK & TIRE LOCATIONS  
○ TRUCK PARTS & INDUSTRIAL SUPPLIES

